

## Faculdade de Farmacia

[View the current Faculdade de Farmacia Page on BioPortfolio.com](http://www.bioportfolio.com/biocorporate/22881-Faculdade+de+Farmacia.html)

(<http://www.bioportfolio.com/biocorporate/22881-Faculdade+de+Farmacia.html>)

### Contact Details:

**Av. Presidente Antônio Carlos, 6627 Campus**

**Pampulha - Cep**

**Belo Horizonte**

**Minas Gerais**

**31270-901**

**Brazil**

Tel: 55 (31) 3499-6830

Fax:

Email: [pagina@farmacia.ufmg.br](mailto:pagina@farmacia.ufmg.br)

O Curso de Farmácia foi criado pela Congregação da Escola Livre de Odontologia de Belo Horizonte por projeto apresentado pelo Prof. J. J. Gama Cerqueira, em 27 de agosto de 1911. O curso, com 3 anos de duração, foi instalado em 1916, tendo 10 alunos inscritos e a Escola, denominada de Escola Livre de Odontologia e Farmácia de Belo Horizonte, funcionava na Rua Timbiras, 1595. Em 10 de setembro de 1917, pelo Decreto no 690, assinado pelo Presidente Delfim Moreira, foi permitido o registro oficial dos diplomas expedidos por ela. Mesmo tendo somente dois anos de funcionamento, no ano de 1918 passa por reformas no ensino, em função de novas exigências federais. A sua sede é transferida para a Rua da Bahia, 1500, em 1919 e o reconhecimento, pelo Conselho Superior de Ensino, ocorre em 1920. Neste mesmo ano é lançada a semente para a criação da Universidade de Minas Gerais, pela Lei Melo Viana, votada no Congresso Mineiro sob o no 895, datada de 10 de setembro de 1925. Nesta Lei, no artigo nono, recomenda-se um acordo entre os estabelecimentos de ensino superior, existentes na época, para compor a Universidade de Minas Gerais. As Escolas de Odontologia e Farmácia e de Engenharia e as Faculdades de Medicina e de Direito unem-se neste sentido e em 07 de setembro de 1927, o Presidente Antônio Carlos Ribeiro de Andrada assina a Lei no 956, criando a Universidade de Minas Gerais (UMG). A Escola passa a ser denominada de Faculdade de Odontologia e Farmácia da UMG. A mudança da Faculdade para a Praça da Liberdade ocorre em 1931, e no ano de 1953 ela se transfere para a sua sede própria, situada à Rua Conde de Linhares, 7, na Cidade Jardim. Neste ano o curso de bacharelado em Farmácia passa a ser denominado de Farmácia-Química, com duração de 4 anos, formando o profissional Farmacêutico-Químico. Em 1960 iniciam-se os entendimentos visando a separação dos dois cursos, Farmácia e Odontologia. Nesta época, foram iniciadas as fundações do atual prédio da Faculdade de Farmácia na Av. Olegário Maciel, 2360. Os dois Cursos foram separados em 9 de fevereiro de 1963, pela Lei no 4.208 e foram criadas a Faculdade de Farmácia e a Faculdade de Odontologia. Em 24 de janeiro de 1964 mudou-se a denominação para Faculdade de Farmácia e Bioquímica e as modalidades para o Curso, o Farmacêutico-Bioquímico, com opção pelas Análises Clínicas e o Farmacêutico Industrial, com opção em Indústria Farmacêutica, englobando a área de Alimentos, foram criadas em 1966. Pelo Decreto no 62.317, de 28 de fevereiro de 1968, a Faculdade de Farmácia e Bioquímica passou a ser denominada de Faculdade de Farmácia da UFMG.



- [Lack of association of C282Y and H63D mutations in the hemochromatosis \(HFE\) gene with diabetes mellitus type 2 in a case-control study of women in Brazil.](#)  
*Hereditary hemochromatosis is one of the most common autosomal recessive...*31st October, 2009  
Faculdade de Farmacia, Universidade Federal de Minas Gerais, Belo- Genet Mol Res. 2009 Oct 27;8(4):1285-91. ([DOI Direct Link](#))
- [Antioxidant and Cytotoxic Activities of Centella asiatica \(L\) Urb.](#)  
*In the present study, the phenolic (Folin-Dennis) and flavonoid...*30th October, 2009  
Departamento de Alimentos e Toxicologia, Faculdade de Farmacia e- Int J Mol Sci. 2009 Aug 26;10(9):3713-21. ([DOI Direct Link](#))
- [Antioxidant potential of peels and fleshs of peaches from different cultivars.](#)  
*Increasing recent interest in nutraceuticals and functional foods has led...*28th October, 2009  
Programa de Pos-Graduacao em Ciencias Farmaceuticas, Faculdade de- J Med Food. 2009 Oct;12(5):1119-26. ([DOI Direct Link](#))
- [Inhibition of hepatic Carnitine Palmitoyl-Transferase I \(CPT IA\) by Valproyl-CoA as a possible mechanism of Valproate-induced steatosis.](#)  
*BACKGROUND/AIMS: Carnitine palmitoyl-transferase I (CPT I) catalyses the...*27th October, 2009  
Research Institute for Medicines and Pharmaceutical Sciences -iMED.UL,- Biochem Pharmacol. 2009 Oct 22. ([DOI Direct Link](#))
- [Drug release from lipid liquid crystalline phases: relation with phase behavior.](#)  
*Introduction: We studied the release of propranolol hydrochloride (PHCl),...*24th October, 2009  
Centro de Estudos Farmaceuticos, Laboratorio de Galenica e Tecnologia- Drug Dev Ind Pharm. 2009 Oct 22. ([DOI Direct Link](#))
- [Degradation of Anthocyanins and Anthocyanidins in Blueberry Jams/Stuffed Fish.](#)  
*This study examined the effects of cooking on the degradation of...*23rd October, 2009  
REQUIMTE, Servico de Bromatologia, Faculdade de Farmacia da Universidade- J Agric Food Chem. 2009 Oct 21. ([DOI Direct Link](#))
- [Composition and anti-fungal activity of the essential oil from Cameroonian Vitex rivularis Gurke.](#)  
*The chemical composition of the essential oils obtained by...*22nd October, 2009  
Faculdade de Farmacia, Laboratorio de Farmacognosia/CEF, Universidade de- Nat Prod Res. 2009;23(16):1478-84. ([DOI Direct Link](#))
- [Membrane microheterogeneity: Forster resonance energy transfer characterization of lateral membrane domains.](#)  
*Lateral membrane heterogeneity, in the form of lipid rafts and...*22nd October, 2009  
Faculdade de Farmacia, Universidade de Coimbra, Polo das Ciencias da- Eur Biophys J. 2009 Oct 21. ([DOI Direct Link](#))
- [Differential regulation of p53 function by protein kinase C isoforms revealed by a yeast cell system.](#)  
*The complexity of the mammalian p53 pathway and protein kinase C (PKC)...*21st October, 2009  
Laboratorio de Microbiologia, REQUIMTE, Faculdade de Farmacia,- FEBS Lett. 2009 Oct 17. ([DOI Direct Link](#))
- [LC: Analysis of Photodegradation Kinetics of Nitazoxanide in Pharmaceutical Formulations.](#)  
*Nitazoxanide is a new broad-spectrum, antiparasitic drug agent. The...*20th October, 2009  
Universidade Federal do Rio Grande do Sul, Faculdade de Farmacia, Programa- J Chromatogr Sci. 2009 Oct;47(9):745-8.
- [Development and Validation of a Discriminative Dissolution Test for Nimesulide Suspensions.](#)  
*The dissolution test for oral dosage forms has recently widened to a...*17th October, 2009  
Programa de Pos-Graduacao em Ciencias Farmaceuticas, Faculdade de- AAPS PharmSciTech. 2009

- Oct 16. ([DOI Direct Link](#))
- [Bioactive amines and quality of egg from Dekalb hens under different storage conditions.](#)  
*The objective of this study was to investigate the possibility of using...* 17th October, 2009  
 Laboratorio de Bioquímica de Alimentos (LBqA), Faculdade de Farmácia, and.- Poultr Sci. 2009  
 Nov;88(11):2428-34. ([DOI Direct Link](#))
  - [Surface modified polymeric nanoparticles for immunisation against equine strangles.](#)  
*The successful development of particulate vaccines depends on the...* 15th October, 2009  
 iMED.UL, Faculdade de Farmácia, Universidade de Lisboa, Av. Professor Gama- Int J Pharm. 2009  
 Oct 13. ([DOI Direct Link](#))
  - [\[Biodegradable systems containing prednisolone acetate for orbital administration\]](#)  
*PURPOSE: The present study aimed to evaluate an injectable...* 13th October, 2009  
 Faculdade de Farmácia da Universidade Federal de Minas Gerais-UFMG, Belo- Arq Bras Oftalmol.  
 2009 Jul-Aug;72(4):444-50.
  - [Comparative study of apolipoprotein-E polymorphism and plasma lipid levels in dyslipidemic and asymptomatic subjects, and their implication in cardio/cerebro-vascular disorders.](#)  
*Polymorphisms in the apolipoprotein-E (apoE) gene may modulate lipoprotein...* 13th October, 2009  
 Departamento de Análises Clínicas e Toxicológicas, Faculdade de Farmácia,- Neurochem Int. 2009  
 Oct 9. ([DOI Direct Link](#))

## BioNews Results for Faculdade de Farmácia



- [NMDA Receptor Blockade Attenuates Lung Injury Associated with Experimental Sepsis](#)  
*CHEST: Oct 19 2009 10:14PM Matching: faculdade de*
- [Whale-sized genetic study largest ever for Southern Hemisphere humpbacks](#)  
*Innovations Report: Oct 16 2009 9:16AM Matching: faculdade de*
- [Largest Ever Genetic Study Of Southern Hemisphere Humpbacks](#)  
*Red Orbit: Oct 14 2009 7:21PM Matching: faculdade de*
- [Genetic Study Is Largest Ever For Southern Hemisphere Humpbacks](#)  
*Red Orbit: Oct 14 2009 2:20PM Matching: faculdade de*
- [Whale-sized Genetic Study Largest Ever For Southern Hemisphere Humpbacks](#)  
*Science Daily: Oct 14 2009 1:21AM Matching: faculdade de*
- [Whale-sized genetic study largest ever for southern hemisphere humpbacks](#)  
*Genetic Engineering News: Oct 14 2009 12:58AM Matching: faculdade de*
- [Predominance of CTX-M?type extended-spectrum ?-lactamase genes among enterobacterial isolates from outpatients in Brazil](#)  
*DiagnosticMicrobiology and Infectious Disease: Oct 10 2009 2:57AM Matching: faculdade de*

## BioCorporate Profiles - upgrade to a full profile

BioPortfolio's BioCorporate full profiles offers your organization the opportunity to increase internet traffic to your corporate web site and enhance awareness of your business, technology, products and services. BioCorporate profiles are dynamic and are updated weekly with new information sourced from core information resources: publications, clinical trials, patents and global news.

Why you should upgrade your BioPortfolio BioCorporate profile:

- the ability to amend and add information on products and services to your profile using a membership username and password
- the option to add a corporate logo
- the creation of high value URL links back to your organization's website which will improve search engine ranking - resulting in increased site traffic
- the option have your press releases published on BioPortfolio and distributed via our BioNewsCast service
- an enhanced BioCorporate profile will also improve your exposure on BioPortfolio's related service InDepth and GeneDB

The annual cost is \$995.00 for established organizations and \$495.00 for organizations less than 12 months old.

\*\*\*

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

