

# Arytenoid Cartilage

[View the current Arytenoid Cartilage InDepth page on BioPortfolio.com \(PDF\)](#)

([http://www.bioportfolio.com/indepth/Arytenoid\\_Cartilage.html](http://www.bioportfolio.com/indepth/Arytenoid_Cartilage.html)) - Regularly Updated.

## Recent Publications on Arytenoid Cartilage:



- [Arytenoid lateralization for treatment of laryngeal paralysis in 10 cats.](#)  
*OBJECTIVE: To describe the signalment, history, clinical signs, surgical...*5th November, 2009  
Department of Surgical Sciences, School of Veterinary Medicine, The- Vet Surg. 2009 Jun;38(4):445-51. ([DOI Direct Link](#))
- [\[Clinical features of multiple system atrophy\]](#)  
*This review deals with clinical features of multiple system atrophy (MSA),...*23rd October, 2009  
Department of Neurology, Brain Research Institute, Niigata University.- Rinsho Shinkeigaku. 2009 May;49(5):249-53.
- [Involvement of cricoarytenoid joints in rheumatoid arthritis.](#)  
*CASE DESCRIPTION: 5 calves were evaluated for abnormal respiratory noise...*20th October, 2009  
Dipartimento di Scienze Istocitopatologiche, U.O. Radiologia, Ospedale S.- J Clin Rheumatol. 2009 Aug;15(5):264. ([DOI Direct Link](#))
- [A comparison of a flexometallic tracheal tube with the intubating laryngeal mask tracheal tube for nasotracheal fiberoptic intubation using the two-scope technique\\*](#)  
*Summary We compared the incidence and site of impingement of a...*10th October, 2009  
Consultants, Nuffield Department of Anaesthetics, John Radcliffe Hospital,- Anaesthesia. 2009 Oct 8. ([DOI Direct Link](#))
- [The effect of arytenoid resection on functional results of cricothyroidotomy.](#)  
*OBJECTIVE: The aim of this study was to evaluate the influence of...*26th September, 2009  
Otorhinolaryngology and Head and Neck Surgery Department, Erciyes- Otolaryngol Head Neck Surg. 2009 Aug;141(2):272-5. ([DOI Direct Link](#))
- [Identification of distinct swallowing patterns for different bolus volumes.](#)  
*OBJECTIVE: To investigate the time interval between glottic closure and...*24th September, 2009  
Department of Neurology, Sisli Etfal Education and Research Hospital,- Clin Neurophysiol. 2009 Sep;120(9):1750-4. Epub 2009 Aug 20. ([DOI Direct Link](#))
- [Successful surgical treatment of a suspected iatrogenic arytenoid cartilage fracture in a dog.](#)  
*A 3-year-old, intact female golden retriever was presented with a sudden...*22nd September, 2009  
Department of Clinical Veterinary Science, Small Animal Hospital, School- J Am Anim Hosp Assoc. 2009 Jul-Aug;45(4):181-4.
- [Vocal fold paralysis: role of bilateral transverse cordotomy.](#)  
*Objective:Although modern endoscopic laser techniques aim to avoid a...*11th September, 2009  
Department of Otolaryngology, York Hospital, UK.- J Laryngol Otol. 2009 Sep 10:1-4. ([DOI Direct Link](#))
- [Prolonged hoarseness and arytenoid cartilage dislocation after tracheal intubation.](#)

*BACKGROUND: Hoarseness is a common complication after tracheal intubation...*4th September, 2009

Department of Anesthesiology, Osaka University Medical School, 2-2,- Br J Anaesth. 2009 Sep;103(3):452-5. Epub 2009 Jun 25. ([DOI Direct Link](#))

- [Subtotal or partial unilateral arytenoidectomy for treatment of arytenoid chondritis in five calves.](#)  
*CASE DESCRIPTION: 5 calves were evaluated for abnormal respiratory noise...*2nd September, 2009  
Department of Clinical Sciences, College of Veterinary Medicine, The Ohio- J Am Vet Med Assoc. 2009 Aug 15;235(4):420-5. ([DOI Direct Link](#))
- [\[Regional invasion of hypopharyngeal carcinoma base on CT -- a report of 65 cases.\]](#)  
*Background and Objective: Identifying the characteristics of regional...*29th July, 2009  
State Key Laboratory of Oncology in South China, Guangzhou, Guangdong,- Ai Zheng. 2009 Jun;28(6):647-51.
- [Variability of resting endoscopic grading for assessment of recurrent laryngeal neuropathy in horses.](#)  
*REASONS FOR PERFORMING STUDY: The extent to which variability affects...*29th July, 2009  
Department of Veterinary Clinical Sciences, Royal Veterinary College,- Equine Vet J. 2009 Apr;41(4):342-6.
- [Effect of magnitude and direction of force on laryngeal abduction: implications for the nerve-muscle pedicle graft technique.](#)  
*REASONS FOR PERFORMING STUDY: The nerve-muscle pedicle graft technique is...*29th July, 2009  
Department of Large Animal Clinical Sciences, College of Veterinary- Equine Vet J. 2009 Apr;41(4):328-33.
- [The history of horizontal glottectomy.](#)  
*The history of horizontal glottectomy (HG) for the treatment of bilateral...*18th July, 2009  
ENT Department, Karl Hansen Clinic, Bad Lippspringe, Germany.- Eur Arch Otorhinolaryngol. 2009 Jul 17. ([DOI Direct Link](#))
- [Initial anatomic geographic presentation of glottal dysplasia.](#)  
*Glottal dysplasia is likely the most common laryngeal disease with a...*16th July, 2009  
Department of Surgery, Harvard Medical School, Center for Laryngeal- Ann Otol Rhinol Laryngol. 2009 May;118(5):321-5.

## BioNews Results for Arytenoid Cartilage

- [Lonza in Manufacturing Pact with ProChon Biotech](#)  
*Contract Pharma: Nov 10 2009 10:31AM Matching: cartilage*
- [Lonza and ProChon Biotech Strike Manufacturing Deal](#)  
*Pharma Live: Nov 9 2009 5:31PM Matching: cartilage*
- [Different arthritis, different treatments](#)  
*Daytona Beach News Journal: Nov 9 2009 8:17AM Matching: cartilage*
- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart\(TM\)](#)  
*NPI center: Nov 5 2009 2:54PM Matching: cartilage*
- [Cartilage loss occurs in the same subregions as subchondral bone attrition: A within-knee subregion-matched approach from the multicenter osteoarthritis study](#)  
*MDLinx: Nov 5 2009 10:27AM Matching: cartilage*
- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart\(TM\) Cartilage Regeneration System](#)  
*Individual.com: Nov 5 2009 7:31AM Matching: cartilage*
- [The Effects of Anterior Cruciate Ligament Lesion on the Articular Cartilage of Growing Goats](#)  
*Orthopedics Today: Nov 5 2009 1:24AM Matching: cartilage*
- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart Cartilage](#)

## Regeneration System

*Business Wire UK: Nov 4 2009 5:06PM Matching: cartilage*

- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart\(TM\) Cartilage Regeneration System](#)

*Street Insider: Nov 4 2009 5:16PM Matching: cartilage*

- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart Cartilage Regeneration Syst](#)

*Business Wire via Yahoo!: Nov 4 2009 5:08PM Matching: cartilage*

- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart Cartilage Regeneration Sy](#)

*Business Wire: Nov 4 2009 5:03PM Matching: cartilage*

- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart&#8222; Cartilage Regenera](#)

*Business Wire: Nov 4 2009 5:03PM Matching: cartilage*

- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart Cartilage Regeneration Syst](#)

*Yahoo! Canada: Nov 4 2009 5:22PM Matching: cartilage*

- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart\(TM\) Cartilage Regeneration](#)

*RBC Dain Rauscher: Nov 4 2009 5:22PM Matching: cartilage*

- [ProChon Biotech Selects Lonza to Locally Manufacture Critical Component of BioCart Cartilage Regeneration System](#)

*PR inside: Nov 4 2009 5:12PM Matching: cartilage*

## **Arytenoid Cartilage Clinical Trials:**



- [Safety and Efficacy of Lansoprazole 30mg Twice Daily in Treatment of Laryngitis Associated With Gastroesophageal Reflux](#)

## **Arytenoid Cartilage Patents:**



- 4672960- [Automatic intubation device for guiding endotracheal tube into trachea](#)
- 5896858- [Endotracheal-tube guidance system with epiglottis-elevating feature](#)
- 6030794- [Genetically engineered mice and cell lines containing alterations in the genes encoding retinoic acid receptor and retinoid X receptor proteins](#)
- 6031149- [Genetically engineered mice containing alterations in the genes encoding retinoic acid receptor proteins](#)

- 6050938- [Portable endoscopy system](#)
- 6119695- [Airway device with provision for lateral alignment, depth positioning, and retention in an airway](#)
- 6152953- [Device for the treatment of hiccups](#)
- 6197061- [In vitro production of transplantable cartilage tissue cohesive cartilage produced thereby, and method for the surgical repair of cartilage damage](#)
- 6228037- [Method and apparatus for the recording and analysis of respiratory sounds in exercising horse](#)
- 6311688- [Airway device with provision for coupling to an introducer](#)
- 5861022- [Method for the treatment of hiccups](#)
- 5786217- [Methods and compositions for the repair of articular cartilage defects in mammals](#)
- 4700700- [Endotracheal tube](#)
- 4793327- [Device for opening a patient's airway during automatic intubation of the trachea](#)
- 4825858- [Automatic intubation device for guiding endotracheal tube into trachea](#)
- 5033466- [Doble-cuffed endotracheal tube](#)
- 5060647- [Endotracheal tube](#)
- 5111814- [Laryngeal pacemaker](#)
- 5318021- [Endotracheal tube with automatic cuff inflation and deflation](#)
- 5593439- [Vocal cord lateralization and medialization device and method](#)
- 5723331- [Methods and compositions for the repair of articular cartilage defects in mammals](#)
- 6338343- [Airway device with provision for lateral alignment, depth positioning, and retention in an airway](#)
- 6427686- [Airway device with provision for coupling to an introducer](#)
- 6451060- [Cartilage matrix and in vitro production of transplantable cartilage tissue](#)
- 7040312- [Perilaryngeal oral airway with flexible tip guide](#)
- 7040322- [Combination artificial airway device and esophageal obturator](#)
- 7055908- [Extended interfaced, under and around chin, head support system for resting while sitting](#)
- 7157080- [Injectable hyaluronic acid derivative with pharmaceuticals/cells](#)
- 7285133- [Artificial larynx](#)
- 7465766- [Hydroxyphenyl cross-linked macromolecular network and applications thereof](#)
- 7476257- [Methods to engineer stratified cartilage tissue](#)
- 7500948- [Dual blade laryngoscope with esophageal obturator](#)
- 7572440- [Method for repairing a defect in an intervertebral disc](#)
- 7013899- [Perilaryngeal oral airway with multi-lumen esophageal-obturator](#)
- 7005274- [Methods and compositions for diagnosing and treating arthritic disorders and regulating bone mass](#)
- 6465460- [Compositions and methods for prevention and treatment of protozoal disease](#)
- 6486381- [Genetically engineered mice containing alterations in the genes encoding retinoic acid receptor proteins](#)
- 6521814- [Use of ligands for treatment of diseases responsive to retinoids](#)
- 6659960- [Apparatus for recording respiratory sounds in exercising horses](#)
- 6699471- [Injectable hyaluronic acid derivative with pharmaceuticals/cells](#)
- 6830049- [Airway device with provision for coupling to an introducer](#)
- 6849255- [Methods and compositions for enhancing cartilage repair](#)
- 6958149- [Repair of larynx, trachea, and other fibrocartilaginous tissues](#)
- 6991604- [Dual blade laryngoscope with esophageal obturator](#)
- 7615373- [Electroprocessed collagen and tissue engineering](#)

\*\*\*

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

