

# Baby Blues Postpartum Depression

[View the current Baby Blues Postpartum Depression InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Baby_Blues_Postpartum_Depression.html)

([http://www.bioportfolio.com/indepth/Baby\\_Blues\\_Postpartum\\_Depression.html](http://www.bioportfolio.com/indepth/Baby_Blues_Postpartum_Depression.html))

## Recent Publications on Baby Blues Postpartum Depression:



- [Maternal deaths from suicide in Singapore.](#)  
*INTRODUCTION: Maternal mortality in Singapore, as in other developed...*3rd October, 2008  
Mental Wellness Service, KK Women's and Children's Hospital, 100 Bukit- Singapore Med J. 2008 Sep;49(9):694-7.
- [Plasma Melatonin Circadian Rhythm Disturbances During Pregnancy and Postpartum in Depressed Women and Women With Personal or Family Histories of Depression.](#)  
*Objective The purpose of this study was to test the hypothesis that...*3rd October, 2008  
- Am J Psychiatry. 2008 Oct 1. ([DOI Direct Link](#))
- [Symptoms of postpartum depression associated with elevated levels of interleukin-1 Beta during the first month postpartum.](#)  
*Postpartum depression (PPD) is a devastating disorder that may carry...*3rd October, 2008  
College of Nursing,- Biol Res Nurs. 2008 Oct;10(2):128-33. ([DOI Direct Link](#))
- [Postpartum bipolar depression: a case study.](#)  
*PURPOSE: This case study of a 29-year-old married woman with postpartum...*2nd October, 2008  
Saint Clare's Health Services,- Perspect Psychiatr Care. 2008 Oct;44(4):267-74. ([DOI Direct Link](#))
- [Symptoms of postpartum depression and early interruption of exclusive breastfeeding in the first two months of life.](#)  
*This study evaluates the association between postpartum depression and...*1st October, 2008  
Instituto de Nutricao, Universidade do Estado do Rio de Janeiro, Rio de- Cad Saude Publica. 2008;24 Suppl 2:S341-52.
- [Severity of acute pain after childbirth, but not type of delivery, predicts persistent pain and postpartum depression.](#)  
*Cesarean delivery rates continue to increase, and surgery is associated...*27th September, 2008  
Department of Anesthesiology, Wake Forest University School of Medicine,- Pain. 2008 Sep 23. ([DOI Direct Link](#))
- [Characteristics of effective psychological treatments of depression: a metaregression analysis.](#)  
*Although many meta-analyses have shown that psychological therapies are...*26th September, 2008  
Department of Clinical Psychology, Vrije Universiteit Amsterdam,- Psychother Res. 2008 Mar;18(2):225-36. ([DOI Direct Link](#))
- [Perinatal depression treated by community health workers.](#)  
*This study explored the effectiveness of an exercise program on reducing...*26th September, 2008  
London School of Hygiene and Tropical Medicine, London WC1E 7HT, UK.- Lancet. 2008 Sep 13;372(9642):868-9. ([DOI Direct Link](#))

- [The role of social support in helping Chinese women with perinatal depressive symptoms cope with family conflict.](#)  
*PURPOSE: To investigate the role of social support (direct, moderating,...*25th September, 2008  
School of Health Sciences, Macao Polytechnic Institute, Macau.- J Obstet Gynecol Neonatal Nurs. 2008 Sep-Oct;37(5):556-71. ([DOI Direct Link](#))
- [Postpartum thyroid measures and depressive symptomology: a pilot study.](#)  
*CONTEXT: While correlations have been demonstrated between postpartum...*23rd September, 2008  
Department of Obstetrics and Gynecology, Oklahoma State University Center- J Am Osteopath Assoc. 2008 Sep;108(9):503-7.
- [\[Multidisciplinary approach to postpartum depression\]](#)  
*Postpartum depression is a multifactorial condition suffered by 15% of...*20th September, 2008  
- Ginecol Obstet Mex. 2008 Jun;76(6):341-8.
- [Depression, parenting attributes, and social support among adolescent mothers attending a teen tot program.](#)  
*OBJECTIVE: To investigate the associations between depressive symptoms in...*17th September, 2008  
Division of General Pediatrics, Children's Hospital Boston, Massachusetts- J Pediatr Adolesc Gynecol. 2008 Oct;21(5):275-81. ([DOI Direct Link](#))
- [Effects of Postpartum Exercise Program on Fatigue and Depression During "Doing-the-Month" Period.](#)  
*This study explored the effectiveness of an exercise program on reducing...*17th September, 2008  
School of Nursing & Dean of Student Affairs, China Medical University.- J Nurs Res. 2008 Sep;16(3):177-86.
- [Web-based education for postpartum depression: conceptual development and impact.](#)  
*Postpartum depression (PPD) is a major public health problem that occurs...*12th September, 2008  
Psychiatry, Obstetrics and Gynecology and Reproductive Sciences,- Arch Womens Ment Health. 2008 Sep 11. ([DOI Direct Link](#))
- [Determinants of Pregnancy and Postpartum Depression: Prospective Influences of Depressive Symptoms, Body Image Satisfaction, and Exercise Behavior.](#)  
*BACKGROUND: Limited research has prospectively examined women's exercise...*6th September, 2008  
Department of Kinesiology, The Pennsylvania State University, 268Q- Ann Behav Med. 2008 Sep 5. ([DOI Direct Link](#))

\*\*\*

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Wessex Barn, Dorchester Road, Frampton, Dorset, DT2 9NB, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2008 - BioPortfolio Limited.

