

Basal Ganglia Diseases

[View the current Basal Ganglia Diseases InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Basal_Ganglia_Diseases.html)

(http://www.bioportfolio.com/indepth/Basal_Ganglia_Diseases.html)



Recent Publications on Basal Ganglia Diseases:

- [A clinical paradigm of delusions of parasitosis.](#)
*OBJECTIVE: Lenticulostriate artery aneurysms are rare. When present,...*1st October, 2008
Department of Psychiatry, University of Rochester School of Medicine and- J Am Acad Dermatol. 2008 Oct;59(4):698-704. ([DOI Direct Link](#))
- [Neurophysiology of basal ganglia diseases.](#)
*OBJECTIVE: Lenticulostriate artery aneurysms are rare. When present,...*24th September, 2008
- Handb Clin Neurol. 2007;83:67-75. ([DOI Direct Link](#))
- [Frontotemporal dementia and related disorders: deciphering the enigma.](#)
*In the past century, particularly the last decade, there has been enormous...*5th September, 2008
Department of Neurology, Behavioral Neurology and Movement Disorders, Mayo- Ann Neurol. 2008 Jul;64(1):4-14. ([DOI Direct Link](#))
- [Typical and atypical antipsychotics--the misleading dichotomy. Results from the Working Group 'Drugs in Psychiatry' \(AGATE\).](#)
*OBJECTIVES: (1) To investigate the risk of extrapyramidal motor side...*4th September, 2008
University Hospital for Psychiatry and Psychotherapy, Regensburg, Germany.- Neuropsychobiology. 2008;57(1-2):80-7. Epub 2008 Jun 2. ([DOI Direct Link](#))
- [Neuroborreliosis with extrapyramidal symptoms: a case report.](#)
*The disease of Lyme is a tick-borne infection. It involves skin, the...*30th August, 2008
Department of Infectious Diseases, Division of Gastroenterology,- Pol Arch Med Wewn. 2008 May;118(5):314-7.
- [Epilepsy, progressive movement disorder and cognitive decline.](#)
*The disease of Lyme is a tick-borne infection. It involves skin, the...*12th August, 2008
Neuropsychiatry Unit, Melbourne Neuropsychiatry Centre, University of- J Clin Neurosci. 2008 Jul;15(7):812.
- [Pyruvate dehydrogenase deficiency presenting as intermittent isolated acute ataxia.](#)
*OBJECTIVE: The aim of this study is to report and emphasize unusual...*1st August, 2008
Division of Medical Genetics, Department of Pediatrics, CHU- Neuropediatrics. 2008 Feb;39(1):20-3. ([DOI Direct Link](#))
- [An update on adenosine A2A-dopamine D2 receptor interactions: implications for the function of G protein-coupled receptors.](#)
*Adenosine A(2A)-dopamine D(2) receptor interactions play a very important...*25th July, 2008
National Institute on Drug Abuse, IRP, NIH, DHHS, 5500 Nathan Shock Dr.,- Curr Pharm Des. 2008;14(15):1468-74.

- [Automatic striatal volumetry allows for identification of patients with chorea-acanthocytosis at single subject level.](#)
*Chorea-acanthocytosis (ChAc) is a rare autosomal recessive...*24th July, 2008
Swiss Epilepsy Center, Bleulerstrasse 60, 8008, Zurich, Switzerland,- J Neural Transm. 2008 Oct;115(10):1393-400. Epub 2008 Jul 22. ([DOI Direct Link](#))
- [Antipsychotic-induced extrapyramidal symptoms and their management.](#)
*BACKGROUND: Antipsychotic drugs have revolutionized the management of...*11th July, 2008
University of Michigan Medical School, Department of Neurology, 1500 E.- Expert Opin Pharmacother. 2008 Jun;9(9):1451-62. ([DOI Direct Link](#))
- [Assessing and maximizing the safety and tolerability of antipsychotics used in the treatment of children and adolescents.](#)
*When taking antipsychotic medications, children and adolescents seem to...*10th July, 2008
Department of Psychiatry, The Zucker Hillside Hospital, Glen Oaks, NY- J Clin Psychiatry. 2008;69 Suppl 4:26-36.
- [\[Acute extrapyramidal syndrome and neuroleptical malignant syndrome. A case report\]](#)
*A case of serious undesirable, effect arisen in a 24-year old male treated...*4th July, 2008
Servizio Psichiatrico Diagnosi e Cura, Ospedale di Caprino Veronese,- Recenti Prog Med. 2008 Mar;99(3):146-8.
- [Problems with CATIE. Phase 1: Looking back--what the clinician needs to know.](#)
*A case of serious undesirable, effect arisen in a 24-year old male treated...*3rd July, 2008
Hartford Hospital/The Institute of Living, 80 Seymour Street, P.O. Box- Conn Med. 2008 Apr;72(4):223-6.
- [White matter changes in corticobasal degeneration syndrome and correlation with limb apraxia.](#)
*BACKGROUND: Data on white matter changes in corticobasal degeneration...*27th June, 2008
Department of Neurology, University of Brescia, Brescia, Italy.- Arch Neurol. 2008 Jun;65(6):796-801. ([DOI Direct Link](#))
- [Clinical spectrum of voltage-gated potassium channel autoimmunity.](#)
*OBJECTIVE: To document neurologic, oncologic, and serologic associations...*12th June, 2008
Department of Neurology, Mayo Clinic College of Medicine, Rochester, MN- Neurology. 2008 May 13;70(20):1883-90. ([DOI Direct Link](#))

BioNews Results for Basal Ganglia Diseases

- [Neurologix Licenses Exclusive Rights to Key Gene from Aegera Therapeutics for Use as a Potential Gene Therapy](#)
Pharma Live: Sep 3 2008 2:36PM Matching: basal ganglia diseases

Basal Ganglia Diseases Clinical Trials:



- [Brain Study of Patients With Frontal Lobe Dementia and Parkinsonian Disorders](#)
Alzheimer's Disease; Dementia; Down's Syndrome



Basal Ganglia Diseases Patents:

- 7235529- [Brain-associated inhibitor of tissue-type plasminogen activator](#)
- 5322682- [Method for quantitatively measuring and mapping stored iron in tissue using MRI](#)
- 5393784- [Treatment of tardive dyskinesia with leucine, isoleucine, valine or mixtures thereof](#)
- 5670539- [Treatment of movement disorders using large neutral amino acids](#)
- 5919823- [Treatment of secondary movement disorders using large neutral amino acids](#)
- 5952389- [Methods of treating tardive dyskinesia and other movement disorders](#)
- 6294583- [Methods of treating tardive dyskinesia and other movement disorders](#)
- 6391922- [Treatment of posttraumatic stress disorder, obsessive-compulsive disorder and related neuropsychiatric disorders](#)
- 6689816- [Treatment of posttraumatic stress disorder, obsessive-compulsive disorder and related neuropsychiatric disorders](#)
- 7087574- [Brain associated inhibitor of tissue-type plasminogen activator](#)
- 4874694- [Use of phosphoprotein patterns for diagnosis of neurological and psychiatric disorders](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Wessex Barn, Dorchester Road, Frampton, Dorset, DT2 9NB, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2008 - BioPortfolio Limited.

