

Blood Coagulation Tests

[View the current Blood Coagulation Tests InDepth page on BioPortfolio.com \(PDF\)](#)

(http://www.bioportfolio.com/indepth/Blood_Coagulation_Tests.html) - Regularly Updated.



Recent Publications on Blood Coagulation Tests:

- [Molecular diagnostics in hemostatic disorders.](#)
*The use of molecular diagnostic techniques in clinical and research...*7th November, 2009
Department of Pathology, West Virginia University Health Sciences Center,- Clin Lab Med. 2009
Jun;29(2):367-90. ([DOI Direct Link](#))
- [Laboratory evaluation of hypercoagulability.](#)
*This discussion considers several important hypercoagulable states that...*7th November, 2009
Department of Pathology, Massachusetts General Hospital, Harvard Medical- Clin Lab Med. 2009
Jun;29(2):339-66. ([DOI Direct Link](#))
- [Thrombotic thrombocytopenic purpura and heparin-induced thrombocytopenia: two unique causes of life-threatening thrombocytopenia.](#)
*Much has been learned about thrombotic thrombocytopenic purpura (TTP) and...*7th November, 2009
Division of Laboratory Medicine, Department of Pathology, University of- Clin Lab Med. 2009
Jun;29(2):321-38. ([DOI Direct Link](#))
- [Anticoagulation monitoring.](#)
*This article reviews the commonly used anticoagulants (warfarin and...*7th November, 2009
Department of Pathology and Laboratory Medicine, Clinical Laboratory Room- Clin Lab Med. 2009
Jun;29(2):283-304. ([DOI Direct Link](#))
- [Liver disease, coagulation testing, and hemostasis.](#)
*This article reviews the variety of coagulation testing abnormalities...*7th November, 2009
Clinical Laboratory, Highland General Hospital, 1411 East 31st Street,- Clin Lab Med. 2009
Jun;29(2):265-82. ([DOI Direct Link](#))
- [A randomized clinical trial investigating the relationship between aprotinin and hypercoagulability in off-pump coronary surgery.](#)
*BACKGROUND: Off-pump coronary artery bypass (OPCAB) surgery is associated...*6th November, 2009
Department of Cardiothoracic Surgery, Boston University and School of- Anesth Analg. 2009
Nov;109(5):1387-94. ([DOI Direct Link](#))
- [Establishment of reference intervals for kaolin-activated thromboelastography in dogs including an assessment of the effects of sex and anticoagulant use.](#)
*Tissue factor (TF)- and kaolin-activated thromboelastography (TEG) have...*6th November, 2009
Department of Veterinary Clinical Sciences, Clinical Pathophysiology and- J Vet Diagn Invest. 2009
Sep;21(5):641-8.
- [\[Demented patient with strangulation marks. Was it a crime?\]](#)

*BACKGROUND: Off-pump coronary artery bypass (OPCAB) surgery is associated...*29th October, 2009

Institut fur Rechtsmedizin, Universitätsklinikum Dusseldorf, Moorenstrasse- MMW Fortschr Med. 2009 Sep 3;151(36):5.

- [Bioequivalence of generic and branded subcutaneous enoxaparin: a single-dose, randomized-sequence, open-label, two-period crossover study in healthy Chinese male subjects.](#)
*BACKGROUND: Enoxaparin is a low-molecular-weight heparin (LMWH) indicated...*29th October, 2009
Clinical Laboratory, First Affiliated Hospital, College of Medicine,- Clin Ther. 2009 Jul;31(7):1559-67. ([DOI Direct Link](#))
- [\[Diagnosis of coagulation disorders: first steps to be done\]](#)
*BACKGROUND: Off-pump coronary artery bypass (OPCAB) surgery is associated...*14th October, 2009
Abt. fur Thrombose und Haemostasestörungen, Prof.-Hess Kinderklinik,- MMW Fortschr Med. 2009 Aug 20;151(34-35):42-4.
- [\[General practitioner's considerations if INR doesn't change\]](#)
*BACKGROUND: Off-pump coronary artery bypass (OPCAB) surgery is associated...*9th October, 2009
Abt. fur Transfusionsmedizin und Hamostaseologie, Labor fur- MMW Fortschr Med. 2009 Jun 25;151(26-29):32-3.
- [Preoperative risk assessment for bleeding and thromboembolism.](#)
*Tissue factor (TF)- and kaolin-activated thromboelastography (TEG) have...*24th September, 2009
Michael De Groote School of Medicine, McMaster University, Hamilton, ON,- BMJ. 2009 Sep 3;339:b2299. doi: 10.1136/bmj.b2299.
- [\[An attempt to evaluate the reliability of coagulation tests in postoperative haemorrhages in patients operated for tonsil disorders\]](#)
*Postoperative haemorrhage is an important complication of surgical...*16th September, 2009
Oddzial Otolaryngologiczny, Specjalistycznego Centrum- Przegl Lek. 2009;66(3):119-21.
- [The reduced anticoagulant effect of fondaparinux at low antithrombin levels.](#)
*BACKGROUND: Low antithrombin levels may compromise the anticoagulant...*10th September, 2009
I. Department of Medicine, University Medical Centre Mannheim, Mannheim,- Anesth Analg. 2009 Sep;109(3):712-6. ([DOI Direct Link](#))
- [Monitoring unfractionated heparin in pediatric patients with congenital heart disease having cardiac catheterization or cardiac surgery.](#)
*Determine the effect of age and congenital heart disease (CHD) on whole...*29th August, 2009
Department of Anesthesiology and Critical Care, The Children's Hospital of- J Thromb Thrombolysis. 2009 Aug 28. ([DOI Direct Link](#))

Blood Coagulation Tests Clinical Trials:



- [A Prospective Observational Study to Evaluate Perioperative Coagulation Profiles Using Rotational Thromboelastometry \(ROTEM®\) in Patients Undergoing Multi-Level Spine Surgery](#)



Blood Coagulation Tests Patents:

- 4745106- [Heparin derivatives having improved anti-Xa specificity](#)
- 5418141- [Test articles for performing dry reagent prothrombin time assays](#)
- 5418143- [Test article and method for performing blood coagulation assays](#)
- 5427926- [Inhibitor of tissue factor activity](#)
- 5504011- [Portable test apparatus and associated method of performing a blood coagulation test](#)
- 5512304- [Method of preparing a thromboplastin extract](#)
- 5534226- [Portable test apparatus and associated method of performing a blood coagulation test](#)
- 5580744- [Test article and method for performing blood coagulation assays](#)
- 5591403- [Portable prothrombin time test apparatus and associated method of performing a prothrombin time test](#)
- 5741779- [Antithrombotic materials and methods](#)
- 5800781- [Blood sampling device](#)
- 5391380- [Thromboplastin extract, reagent, and preparation thereof](#)
- 5356783- [Inhibitor of tissue factor activity](#)
- 5339830- [Blood coagulation test system](#)
- 4766083- [Method for the photometric determination of biological agglutination](#)
- 4797369- [Method and apparatus for detecting a blood clot](#)
- 4801534- [Water soluble zanthylum derivative substrates](#)
- 4877741- [Treatment of human plasma with brown recluse spider toxin to emulate a lupus anticoagulant](#)
- 4942156- [Low molecular weight heparin derivatives having improved anti-Xa specificity](#)
- 5059525- [Dry reagent for blood coagulation tests](#)
- 5108890- [Chromogenic compounds, processes for the preparation thereof and use thereof as enzyme substrates](#)
- 5156974- [Method for determining the fibrinogen level of a blood sample](#)
- 5190862- [Chromogenic compounds and the use thereof as enzyme substrates](#)
- 5219994- [Inhibitor of tissue factor activity](#)
- 5851836- [Method for determining fibrinogen and reagent for determination thereof](#)
- 5935930- [Antithrombotic materials and methods](#)
- 6733985- [Preparation of stable liquid and dried synthetic prothrombin time reagents](#)
- 6994984- [Hematological assay](#)
- 7049087- [Method for manufacturing a tissue factor-based prothrombin time reagent](#)
- 7090648- [External addition of pulses to fluid channels of body to release or suppress endothelial mediators and to determine effectiveness of such intervention](#)
- 7166208- [Apoenzyme reactivation electrochemical detection method and assay](#)
- 7235213- [System for performing blood coagulation assays and measuring blood clotting times](#)
- 7294312- [Test cartridge holder for blood samples](#)
- 7320962- [Hemoactive compositions and methods for their manufacture and use](#)
- 7358337- [Assay for low molecular weight heparin](#)
- 7399637- [Blood coagulation test cartridge, system, and method](#)
- 6706690- [Hemoactive compositions and methods for their manufacture and use](#)
- 6599881- [Antithrombotic materials and methods](#)
- 6566140- [Inhibition of coagulation in blood and blood products](#)
- 6077233- [Blood coagulation test system](#)
- 6107280- [Antithrombotic materials and methods](#)

- 6183979- [Preparation of dried synthetic prothrombin time reagents](#)
- 6261792- [Lipid-dependent diagnostic assays](#)
- 6403381- [Inhibition of coagulation in blood and blood products](#)
- 6438498- [System, method and computer implemented process for assaying coagulation in fluid samples](#)
- 6451610- [Method and apparatus for coagulation based assays](#)
- 6468287- [Lancet for capillary puncture blood samples](#)
- 6475801- [Anticoagulant and hemanalysis method](#)
- 6509348- [Combination of an ADP-receptor blocking antiplatelet drug and a thromboxane A2 receptor antagonist and a method for inhibiting thrombus formation employing such combination](#)
- 7422905- [Blood coagulation test cartridge, system, and method](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

