

CREST

[View the current CREST InDepth page on BioPortfolio.com](#) ([PDF](#))

(<http://www.bioportfolio.com/indepth/CREST.html>) - Regularly Updated.

CREST is the Central Securities Depository for the U.K., Republic of Ireland, Isle of Man and Jersey equities and UK gilts. It operates a settlement system, allowing trades that have been agreed to be settled. It allows shareholders and bondholders to hold assets in a dematerialised, i.e. electronic, form, rather than holding physical share certificates. CREST also serves a number of other important functions, such as assisting in the payments of dividends to shareholders. CREST is also an "Electronic Trade Confirmation System" . When parties to a transaction make a deal, they both electronically confirm their sides of the transaction via file transfer. Both parties are required to submit confirmation details to CREST. In the event that transaction details do not match, CREST will highlight the issues and ensure that the problems are resolved as soon as is practicable. Given that stamp duty is only sufferable on physical share certificates, there is no stamp duty payable on shares settled via CREST. There is, however, stamp duty reserve tax. This is collected by CREST on behalf of Her Majesty's Revenue and Customs. CREST was acquired by Euroclear in September 2002. ([From the Wikipedia article CREST](#) .)

Recent Publications on CREST:



- [A novel study of Copy Number Variations in Hirschsprung disease using the Multiple Ligation-dependent Probe Amplification \(MLPA\) technique.](#)
ABSTRACT: BACKGROUND: Hirschsprung disease (HSCR) is a congenital... 21st November, 2009
- BMC Med Genet. 2009 Nov 19;10(1):119. ([DOI Direct Link](#))
- [Rational Design of Highly Effective Asymmetric Diels-Alder Catalysts Bearing 4,4'-Sulfonamidomethyl Groups.](#)
The rational design of bis(oxazoline)-copper(II) catalysts based on... 21st November, 2009
EcoTopia Science Institute, Graduate School of Engineering and JST, CREST,- J Am Chem Soc. 2009 Nov 19. ([DOI Direct Link](#))
- [Development of the viscerocranial skeleton during embryogenesis of the sea lamprey, *Petromyzon Marinus*.](#)
Evolution of the skeleton was a key transition in early vertebrates.... 20th November, 2009
Department of Zoology, University of Oklahoma, Norman, Oklahoma.- Dev Dyn. 2009 Nov 18;238(12):3126-3138. ([DOI Direct Link](#))
- [Reprogramming of melanoma cells by embryonic microenvironments.](#)
In recent years, the reversion of the cancer phenotype of human melanoma... 20th November, 2009
Laboratory of Stem Cells, Development and Cancer. Department of Cell- Int J Dev Biol. 2009;53(8-9-10):1563-1568. ([DOI Direct Link](#))
- [Confining Molecules within Aqueous Coordination Nanoparticles by Adaptive Molecular Self-Assembly.](#)
In recent years, the reversion of the cancer phenotype of human melanoma... 19th November, 2009
Department of Chemistry and Biochemistry, Graduate School of Engineering,- Angew Chem Int Ed

- Engl. 2009 Nov 17. ([DOI Direct Link](#))
- [Indications for the scapular flap in reconstructions of the head and neck.](#)
*Composite free flaps that are available for reconstructions of the head...*17th November, 2009
 Department of Oral and Maxillofacial Surgery, University Hospital Aintree,- Br J Oral Maxillofac Surg. 2009 Nov 11. ([DOI Direct Link](#))
 - [\[Mid-term results of 360-degree lumbar spondylodesis with the use of a tantalum implant for disc replacement.\]](#)
*PURPOSE OF THE STUDY The study presents the mid-term results in patients...*17th November, 2009
 Klinika ortopedie a traumatologie pohyboveho ustroji FN a LF UK v Plzni.- Acta Chir Orthop Traumatol Cech. 2009 Oct;76(5):388-93.
 - [Factors influencing ridge alterations following immediate implant placement into extraction sockets.](#)
*Abstract Aim: To identify factors that may influence ridge alterations...*17th November, 2009
 University Complutense of Madrid, Madrid, Spain.- Clin Oral Implants Res. 2009 Nov 13. ([DOI Direct Link](#))
 - [Mossy and climbing fiber collateral inputs in monkey cerebellar paraflocculus lobulus petrosus and hemispheric lobule VII and their relevance to oculomotor functions.](#)
*Recent lesion studies on monkeys suggest that the cerebellar lobulus...*17th November, 2009
 CREST, Japan Science and Technology Corporation, Honcho 4-1-8, Kawaguchi,- Neurosci Lett. 2009 Nov 10. ([DOI Direct Link](#))
 - [Neuropilin ligands in vascular and neuronal patterning.](#)
*Blood vessels and neurons share guidance cues and cell-surface receptors...*17th November, 2009
 UCL Institute of Ophthalmology, 11-43 Bath Street, London EC1V 9EL, U.K.- Biochem Soc Trans. 2009 Dec;37(Pt 6):1228-32. ([DOI Direct Link](#))
 - [Embryonic stem cells as a model for studying melanocyte development.](#)
*Melanocytes are neural crest-derived pigment-producing cells that reside...*13th November, 2009
 The Wistar Institute, Philadelphia, PA, USA.- Methods Mol Biol. 2010;584:301-16. ([DOI Direct Link](#))
 - [Generation of neural crest cells and peripheral sensory neurons from human embryonic stem cells.](#)
*Peripheral somatic sensory neurons (PSNs) are responsible for the critical...*13th November, 2009
 Gonda Research Center, Faculty of Life Sciences, Bar-Ilan University,- Methods Mol Biol. 2010;584:283-300. ([DOI Direct Link](#))
 - [Bone platform switching: a retrospective study on the slope of reverse conical neck.](#)
*Objective: Bone platform switching results in an inward bone ring in the...*13th November, 2009
 - Quintessence Int. 2010 Jan-Feb;41(1):35-40.
 - [Intraoral telangiectasias associated with raynaud disease: a report of two cases.](#)
*The finding of intraoral telangiectasias in two patients previously...*13th November, 2009
 - Quintessence Int. 2010 Jan-Feb;41(1):17-20.
 - [Bidirectional plasticity in fast-spiking GABA circuits by visual experience.](#)
*Experience-dependent plasticity in the brain requires balanced...*13th November, 2009
 CREST, JST, Toyonaka, Osaka 560-0082, Japan.- Nature. 2009 Nov 12;462(7270):218-21. ([DOI Direct Link](#))

BioNews Results for CREST

- [Arthrosonography: Joints of the back, pelvis and hind limb \(Proceedings\)](#)
Thomson Veterinary Healthcare Communications: Nov 20 2009 12:03PM Matching: crest
- [On the crest of wave energy](#)
Research & Development: Nov 19 2009 3:56PM Matching: crest
- [OneMove\(TM\) Achieves Its First Profitable Quarter and Releases Fiscal 2010 First Quarter Financial Results](#)
Genetic Engineering News: Nov 18 2009 12:24AM Matching: crest

- [Novel minimally invasive surgery shows efficacy for treating lumbar spondylolysis](#)
Orthopedics Today: Nov 17 2009 8:39PM Matching: crest
- [CDC cites some signs of ebbing US flu activity](#)
Centre For Infectious Disease Research and Policy: Nov 14 2009 7:26AM Matching: crest
- [Minnesota H1N1 cases dipping](#)
Individual.com: Nov 13 2009 1:10AM Matching: crest
- [GoIndustry DoveBid Has Been Awarded 'Corporate Supplier Excellence Award' By Procter & Gamble](#)
Pharmaceutical Online: Nov 12 2009 3:36PM Matching: crest
- [Faulty body clock genes could cause bipolar disorder in kids](#)
Times of India: Nov 12 2009 12:28PM Matching: crest
- [H1N1 vaccine supplies come in as flu peaks](#)
Peninsula Daily News: Nov 12 2009 4:22PM Matching: crest
- [P&G consolidates research and development facilities](#)
Cosmetics Design North America: Nov 10 2009 9:47PM Matching: crest
- [Heavier breasts linked to cancer](#)
Times of India: Nov 9 2009 9:59AM Matching: crest
- [CREW urge HHS to investigate CDC's approval to distribute H1N1 vaccine to Wall Street firms](#)
News-Medical.Net: Nov 6 2009 9:43AM Matching: crest
- [Swine flu infection and vaccine, out of sync: official](#)
The Independent: Nov 5 2009 7:12PM Matching: crest
- [CDC says vaccine shortage likely to outlast current H1N1 wave](#)
Centre For Infectious Disease Research and Policy: Nov 5 2009 7:48AM Matching: crest
- [Swine flu infection and vaccine, out of sync: official](#)
Asiaone: Nov 5 2009 6:35AM Matching: crest

CREST Patents:



- 7608113- [Demineralized bone implants](#)
- 7611465- [Rapid and accurate detection of bone quality using ultrasound critical angle reflectometry](#)
- 7611517- [Rod reducer](#)
- 7611605- [Method for making rolls of tissue sheets having improved properties](#)
- 7611708- [Methods of therapy for B-cell malignancies using antagonist anti-CD40 antibodies](#)
- 7611711- [VEGFR-3 inhibitor materials and methods](#)
- 7611832- [Human G protein-coupled receptor and modulators thereof for the treatment of ischemic heart disease and congestive heart failure](#)
- 7612064- [Sulfopyrroles](#)
- 7612164- [Cardiac muscle function and manipulation](#)
- 7612735- [Multi-function field-deployable resource harnessing apparatus and methods of manufacture](#)
- 7610861- [Magnetic and inertial propulsion system](#)
- 7610853- [Inking roller comprising a structured surface](#)
- 7608227- [Catalyst structure](#)
- 7608259- [Methods of cancer diagnosis and therapy targeted against a cancer stem line](#)
- 7608392- [Diagnostic assay for measuring a cell mediated immune response](#)
- 7608673- [Organosilane compound and organosilica obtain therefrom](#)

- 7609292- [Signal processing device, method, and program](#)
- 7610002- [Developing apparatus and image forming apparatus](#)
- 7610074- [Multi-functional plasmon-resonant contrast agents for optical coherence tomography](#)
- 7610096- [Methods for treating central nervous system damage](#)
- 7610833- [Thread gripping tool](#)
- 7613072- [System and method for determining directional and non-directional fluid wave and current measurements](#)
- 7614206- [Winged header apparatus and method for a combine](#)
- 7618424- [Orthopedic instrument](#)
- 7618441- [Bone staple and methods for correcting spine disorders](#)
- 7618451- [Patient selectable joint arthroplasty devices and surgical tools facilitating increased accuracy, speed and simplicity in performing total and partial joint arthroplasty](#)
- 7618622- [Treatment of Parkinson's disease and related disorders using postpartum derived cells](#)
- 7619062- [PRO214 polypeptides](#)
- 7619065- [Cystine-knot fold protein](#)
- 7619373- [Selectable frequency light emitter](#)
- 7619824- [Variable optical arrays and variable manufacturing methods](#)
- 7620297- [Recording medium, recording method, reproduction apparatus and method, and computer-readable program](#)
- 7618419- [Method and system of computer assistance for the reduction of a fracture](#)
- 7618329- [Interchangeable golf club heads with shared shaft](#)
- 7614486- [Retention of an actuating spring in a one-way clutch or brake](#)
- 7614541- [Method and apparatus for placing conductive balls](#)
- 7614570- [Animal bathing system](#)
- 7614667- [Pipe connection](#)
- 7615018- [Leg ulcer, lymphoedema and DVT vibratory treatment and device](#)
- 7615129- [Structural damage repair elements and kit](#)
- 7616678- [Multi-carrier constant envelope signal scheme for power and bandwidth efficient communications](#)
- 7618185- [Electric medical thermometer](#)
- 7618299- [Easy off low voltage mounting](#)
- 7620619- [Conditional purchase offer management system](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

