

Coronary Stenosis

[View the current Coronary Stenosis InDepth page on BioPortfolio.com \(PDF\)](#)
(http://www.bioportfolio.com/indepth/Coronary_Stenosis.html) - Regularly Updated.

Recent Publications on Coronary Stenosis:



- [The Combined Pharmacological Stress Echocardiography Protocol for Predicting Improvement of Global Left Ventricular Systolic Function After Revascularisation.](#)
BACKGROUND: We compared the prognostic power of three pharmacological... 17th November, 2009
Cardiology Department, Faculty of Medicine, Ain Shams University, Cairo,- Heart Lung Circ. 2009 Nov 12. ([DOI Direct Link](#))
- [Clinical contributions of 64-slice computed tomography in the evaluation of cardiomyopathy of unknown origin.](#)
BACKGROUND: Meta-analyses have confirmed the high performance of... 17th November, 2009
Service de cardiologie et maladies vasculaires, CCP-CHU de Pontchaillou,- Arch Cardiovasc Dis. 2009 Oct;102(10):685-96. Epub 2009 Oct 2. ([DOI Direct Link](#))
- [Sudden coronary death caused by pathologic intimal thickening without atheromatous plaque formation.](#)
BACKGROUND: Atherosclerotic plaques progress from early lesions with... 17th November, 2009
Armed Forces Institute of Pathology, Washington, DC, USA.- Cardiovasc Pathol. 2009 Nov 11. ([DOI Direct Link](#))
- [Combined assessment of myocardial perfusion and late gadolinium enhancement in patients after percutaneous coronary intervention or bypass grafts: a multicenter study of an integrated cardiovascular magnetic resonance protocol.](#)
OBJECTIVES: We sought to assess the accuracy of an integrated cardiac... 17th November, 2009
Department of Internal Medicine II, Cardiovascular MRI Unit, University of- JACC Cardiovasc Imaging. 2009 Nov;2(11):1292-300. ([DOI Direct Link](#))
- [Comparative assessment of heart remodeling in rats after experimental coronary stenosis and cryodestruction.](#)
Comparative analysis of myocardial changes due to heart remodeling after... 11th November, 2009
Institute of Cardiology, Tomsk Research Center, Siberian Division of the- Bull Exp Biol Med. 2009 Jun;147(6):695-7.
- [Metabolic Syndrome Is a Risk Factor for Coronary Artery Disease in a Tunisian Population.](#)
Background: Metabolic syndrome is a constellation of disorders that... 11th November, 2009
Department of Biochemistry, UR MSP 28/04, Sahloul University Hospital,- Metab Syndr Relat Disord. 2009 Nov 9. ([DOI Direct Link](#))
- [False-positive stress tests... or false-negative rest angiograms?](#)
OBJECTIVES: The aim of this study was to determine the safety and efficacy... 11th November, 2009
Parma University Hospital, Italy.- J Am Coll Cardiol. 2009 Oct 27;54(18):e9. ([DOI Direct Link](#))

- [Cardiac CT: the end of invasive coronary angiography as a diagnostic procedure?](#)
In recent years, multislice computed tomographic (CT) technology has... 10th November, 2009
Hospital da- Rev Port Cardiol. 2009 Jul-Aug;28(7-8):825-42.
- [Myocardial infarction without coronary artery stenosis illustrated by Tc-99m pyrophosphate scan, cardiac magnetic resonance imaging, and myocardial perfusion scintigraphy.](#)
A 42-year-old woman presented with chest pain and ECG changes suggestive... 7th November, 2009
Division of Nuclear Medicine, National Taiwan University Hospital Yun-Lin- Clin Nucl Med. 2009 Oct;34(10):734-6. ([DOI Direct Link](#))
- [Radiation exposure and image quality in staged low-dose protocols for coronary dual-source CT angiography: a randomized comparison.](#)
OBJECTIVE: To evaluate staged low-dose approaches for coronary CT... 6th November, 2009
Department of Internal Medicine 2, University of Erlangen, Ulmenweg 18,- Eur Radiol. 2009 Nov 5. ([DOI Direct Link](#))
- [Primary congenital anomalies of the coronary arteries and relation to atherosclerosis: an angiographic study in Lebanon.](#)
BACKGROUND: Most coronary artery anomalies are congenital in origin. This... 31st October, 2009
Department of Biology, College of Science, United Arab Emirates- J Cardiothorac Surg. 2009 Oct 29;4:58. ([DOI Direct Link](#))
- [\[68-year-old patient with syncope caused by climbing stairs\]](#)
OBJECTIVES: The aim of this study was to determine the safety and efficacy... 30th October, 2009
- Dtsch Med Wochenschr. 2009 Oct;134(44):2229-30. Epub 2009 Oct 21. ([DOI Direct Link](#))
- [Coronary angiographic studies of impaired glucose regulation and coronary artery disease in Chinese nondiabetic subjects.](#)
To investigate the prevalence and the extent of coronary artery disease... 27th October, 2009
Department of Endocrine and Metabolic Diseases, Shanghai Clinical Center- Endocrine. 2009 Oct 24. ([DOI Direct Link](#))
- [Feasibility, safety, and efficacy of a novel polymeric pimecrolimus-eluting stent: traditional pre-clinical safety end points failed to predict 6-month clinical angiographic results.](#)
OBJECTIVES: The aim of this study was to determine the safety and efficacy... 24th October, 2009
Mercy Angiography,- JACC Cardiovasc Interv. 2009 Oct;2(10):1017-24. ([DOI Direct Link](#))
- [Usefulness of age and gender in the early triage of patients with acute chest pain having cardiac computed tomographic angiography.](#)
To identify the age- and gender-specific subpopulations of patients with... 21st October, 2009
Massachusetts General Hospital and Harvard Medical School, Boston, USA.- Am J Cardiol. 2009 Nov 1;104(9):1165-70. Epub 2009 Sep 16. ([DOI Direct Link](#))

Coronary Stenosis Patents:



- 7172758- [Endothelialization of vascular surfaces](#)
- 7291592- [Method for treating patients with massive blood loss](#)
- 7297544- [Tests for the rapid evaluation of ischemic states and kits](#)
- 7306913- [Genetic polymorphisms associated with coronary stenosis, methods of detection and uses thereof](#)
- 7329223- [Catheter with optical fiber sensor](#)

- 7329402- [Methods of imaging and treatment](#)
- 7332162- [Cell lines, ligands and antibody fragments for use in pharmaceutical compositions for preventing and treating haemostasis disorders](#)
- 7344705- [Composition comprising low density microspheres](#)
- 7358055- [Diagnostic markers of acute coronary syndrome and methods of use thereof](#)
- 7361473- [Diagnostic markers of acute coronary syndrome and methods of use thereof](#)
- 7369889- [Apparatus for analyzing cardiac events](#)
- 7282519- [Nitrosated and nitrosylated diuretic compounds, compositions and methods of use](#)
- 7282369- [Tests for the rapid evaluation of ischemic states and kits](#)
- 7178521- [Adjustable length breathing circuit](#)
- 7211652- [Protein from horn fly saliva that disrupts hemostasis](#)
- 7217788- [Human tumor necrosis factor delta polypeptides](#)
- 7229651- [Dietary supplements containing natural ingredients](#)
- 7247451- [Antithrombin protein and DNA sequences from black fly](#)
- 7248725- [Methods and apparatus for analyzing ultrasound images](#)
- 7250495- [PRO20044 polypeptides](#)
- 7261105- [Breathing circuits having unconventional respiratory conduits and systems and methods for optimizing utilization of fresh gases](#)
- 7265210- [Anti-PRO9821 antibodies](#)
- 7275541- [Breathing circuits having unconventional respiratory conduits and systems and methods for optimizing utilization of fresh gases](#)
- 7373197- [Methods and devices to expand applications of intraoperative radiation probes](#)
- 7384411- [Multi-purpose catheters, catheter systems, and radiation treatment](#)
- 7396829- [Nitric oxide enhancing diuretic compounds, compositions and methods of use](#)
- 7504226- [Methods relating to treatment of atherosclerosis](#)
- 7514399- [Bonding tissues and cross-linking proteins with naphthalimide compounds](#)
- 7520860- [Detection of coronary artery disease using an electronic stethoscope](#)
- 7531511- [Method for inducing angiogenesis or vascular perfusion in the myocardium comprising administering FGF-2](#)
- 7532920- [Guidewire with optical fiber](#)
- 7575879- [Polypeptides homologous to VEGF and BMP1](#)
- 7578838- [Delivery system with helical shaft](#)
- 7587023- [Method and apparatus for achieving optimal radiation dose in coronary CT angiography using standard deviation of CT number](#)
- 7595313- [Nitric oxide donating diuretic compounds, compositions and methods of use](#)
- 7608406- [Diagnostic markers of stroke and cerebral injury and methods of use thereof](#)
- 7500986- [Expandable body having deployable microstructures and related methods](#)
- 7494977- [Polypeptides homologous to VEGF and BMP1](#)
- 7399283- [Medical guide wire having a stepwisely thickness-reduced but breadth-increased distal tip structure](#)
- 7405051- [Method of screening antiplatelet agents](#)
- 7407506- [Device, system and method for interstitial transvascular intervention](#)
- 7411044- [Polymerized hemoglobin solutions having reduced amounts of tetramer and method for preparing](#)
- 7418965- [Multilumen unilimb breathing circuit with detachable proximal fitting](#)
- 7419657- [Treatment of atherosclerotic disorders](#)
- 7449338- [Tests for the rapid evaluation of ischemic states and kits](#)
- 7452551- [Targeted compositions for diagnostic and therapeutic use](#)
- 7452916- [Enhancement of vascular function by modulation of endogenous nitric oxide production or activity](#)
- 7481790- [Vessel enlargement by arteriogenic factor delivery](#)
- 7612033- [Methods for delivering compounds into a cell](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

