

Death Sudden

[View the current Death Sudden InDepth page on BioPortfolio.com \(PDF\)](#)

(http://www.bioportfolio.com/indepth/Death_Sudden.html) - Regularly Updated.

Recent Publications on Death Sudden:



- [Clinical correlates and heritability of QT interval duration in blacks: the Jackson Heart Study.](#)
*BACKGROUND: Electrocardiographic QT interval prolongation is a risk factor...*30th October, 2009
Jackson State University, Jackson Heart Study, Jackson, Miss, USA.- *Circ Arrhythm Electrophysiol.* 2009 Aug;2(4):427-32. Epub 2009 May 27. ([DOI Direct Link](#))
- [Biophysical properties of 9 KCNQ1 mutations associated with long-QT syndrome.](#)
*BACKGROUND: Inherited long-QT syndrome is characterized by prolonged QT...*30th October, 2009
Department of Medicine and Pharmacology, Oates Institute for Experimental- *Circ Arrhythm Electrophysiol.* 2009 Aug;2(4):417-26. Epub 2009 May 22. ([DOI Direct Link](#))
- [Asymptomatic ventricular preexcitation: a long-term prospective follow-up study of 293 adult patients.](#)
*BACKGROUND: Sudden cardiac death can be the first clinical presentation of...*30th October, 2009
Department of Arrhythmology, Electrophysiology, and Cardiac Pacing Unit,- *Circ Arrhythm Electrophysiol.* 2009 Apr;2(2):102-7. Epub 2009 Feb 13. ([DOI Direct Link](#))
- [\[Identity of the cardiological rehabilitation with patients with implanted cardioverter-defibrillator\]](#)
*Implantable cardioverter defibrillator - ICD saves people's life and it...*29th October, 2009
Klinika i Katedra Rehabilitacji SPSK nr 7 Slaskiego Uniwersytetu- *Wiad Lek.* 2009;62(1):26-9.
- [Outcomes in heart failure patients referred for consideration of implantable cardioverter defibrillator for primary prophylaxis of sudden cardiac death: what are the risks of waiting?](#)
*BACKGROUND: Clinical trials have confirmed that implantable cardioverter...*29th October, 2009
Department of Medicine, St Michael's Hospital, University of Toronto,- *Can J Cardiol.* 2009 Oct;25(10):e342-246.
- [Imaging left ventricular muscarinic receptor heterogeneity: a tool to evaluate individuals at risk for sudden death?](#)
*Hypertrophic cardiomyopathy (HCM) may have sudden death as its first...*29th October, 2009
- *Circ Cardiovasc Imaging.* 2009 Sep;2(5):353-5. ([DOI Direct Link](#))
- [Cervarix: definitely not the new MMR.](#)
*BACKGROUND: The rate of death, including sudden cardiac death, is highest...*27th October, 2009
- *BMJ.* 2009 Oct 7;339:b4124. doi: 10.1136/bmj.b4124.
- [Extensive myocardial fibrosis in a patient with hypertrophic cardiomyopathy and ventricular tachycardia without traditional high-risk features.](#)
*Hypertrophic cardiomyopathy (HCM) may have sudden death as its first...*27th October, 2009
Ospedale degli Infermi, Rivoli, Torino, Italy.- *Circ Cardiovasc Imaging.* 2009 Jul;2(4):349-50. ([DOI Direct Link](#))
- [Infarct tissue heterogeneity assessed with contrast-enhanced MRI predicts spontaneous ventricular](#)

[arrhythmia in patients with ischemic cardiomyopathy and implantable cardioverter-defibrillator.](#)

*BACKGROUND: The relation between infarct tissue heterogeneity on...*27th October, 2009

Department of Radiology, Leiden University Medical Center, Leiden, The- Circ Cardiovasc Imaging.

2009 May;2(3):183-90. Epub 2009 Mar 23. ([DOI Direct Link](#))

• [\[The historical review of cardio pulmonary resuscitation\]](#)

*Cardio pulmonary resuscitation is the main method to rescue sudden cardiac...*24th October, 2009

Department of Cardiovascular Medicine of the first hospital of Shanxi- Zhonghua Yi Shi Za Zhi. 2009 Jan;39(1):30-8.

• [Single-photon emission computed tomography myocardial perfusion defects are associated with an increased risk of all-cause death, cardiovascular death, and sudden cardiac death.](#)

*BACKGROUND: Single-photon emission computed tomography myocardial...*21st October, 2009

Division of Cardiology, Department of Medicine, Duke University Medical- Circ Cardiovasc Imaging.

2008 Nov;1(3):180-8. Epub 2008 Sep 17. ([DOI Direct Link](#))

• [Prediction of sudden cardiac death in patients with coronary heart disease: the challenge ahead.](#)

*BACKGROUND: Single-photon emission computed tomography myocardial...*21st October, 2009

- Circ Cardiovasc Imaging. 2008 Nov;1(3):175-7. ([DOI Direct Link](#))

• [The confirmatory trial in comparative-effectiveness research.](#)

*BACKGROUND: Clinical trials have confirmed that implantable cardioverter...*17th October, 2009

- N Engl J Med. 2009 Oct 8;361(15):1498-9. ([DOI Direct Link](#))

• [Defibrillator implantation early after myocardial infarction.](#)

*BACKGROUND: The rate of death, including sudden cardiac death, is highest...*17th October, 2009

Department of Internal Medicine I, Ludwig-Maximilian Universitat, Campus- N Engl J Med. 2009 Oct 8;361(15):1427-36. ([DOI Direct Link](#))

• [\[Sudden unexpected death--hypertrophic cardiomyopathy--genetically verified post-mortem\]](#)

*Hypertrophic cardiomyopathy (HCM) may have sudden death as its first...*14th October, 2009

Retsmedicinsk Institut, Aarhus Universitet, DK-8200 Arhus N.- Ugeskr Laeger. 2009 Sep 21;171(39):2835-6.

BioNews Results for Death Sudden

• [China Investigates 2 Deaths After Flu Vaccinations](#)

CBS 13: Nov 14 2009 7:54AM Matching: death sudden

• [China's health ministry investigating deaths of 2 people vaccinated for swine flu](#)

Morning Call: Nov 14 2009 6:23AM Matching: death sudden

• [China Investigates 2 Deaths After Flu Vaccinations](#)

WJAC TV: Nov 14 2009 8:21AM Matching: death sudden

• [China Investigates 2 Deaths After Flu Vaccinations](#)

New York Times: Nov 14 2009 5:42AM Matching: death sudden

• [China Investigates 2 Deaths After Flu Vaccinations](#)

CBS News: Nov 14 2009 5:16AM Matching: death sudden

• [China investigates 2 deaths after flu vaccinations](#)

Seattle Times: Nov 14 2009 3:36AM Matching: death sudden

• [China investigates 2 deaths after flu vaccinations](#)

KEPR-TV: Nov 14 2009 8:23AM Matching: death sudden

• [China investigates 2 deaths after flu vaccinations](#)

Charlotte Observer: Nov 14 2009 7:47AM Matching: death sudden

• [China investigates 2 deaths after flu vaccinations](#)

Forbes.com: Nov 14 2009 7:36AM Matching: death sudden

• [China investigates 2 deaths after flu vaccinations](#)

KIMA TV: Nov 14 2009 7:27AM Matching: death sudden

- [China investigates 2 deaths after flu vaccinations](#)
Omaha World-Herald: Nov 14 2009 6:55AM Matching: death sudden
- [China investigates 2 deaths after flu vaccinations](#)
Yahoo! News: Nov 14 2009 6:51AM Matching: death sudden
- [China investigates 2 deaths after flu vaccinations](#)
Anderson Independent-Mail: Nov 14 2009 6:42AM Matching: death sudden
- [China investigates 2 deaths after flu vaccinations](#)
Battleboro Reformer: Nov 14 2009 6:21AM Matching: death sudden
- [China investigates 2 deaths after flu vaccinations](#)
Daily Advance: Nov 14 2009 6:18AM Matching: death sudden

Death Sudden Clinical Trials:



- [MAP-IDM: Identification of Molecular Markers of Sudden Death at the Acute Phase of Myocardial Infarction](#)

Death Sudden Patents:



- 5599539- [Therapy for clostridial botulinum toxin](#)
- 6181102- [Battery pack chemistry detection and identification system and method](#)
- 6201992- [Defibrillator interface capable of generating video images](#)
- 6214602- [Host cells for expression of clostridial toxins and proteins](#)
- 6249105- [System and method for detecting performance components of a battery pack](#)
- 6290960- [Vaccine and antitoxin for the treatment of C. difficile disease](#)
- 6312393- [Contact device for placement in direct apposition to the conjunctive of the eye](#)
- 6313609- [Determining battery capacity using one or more applications of a constant power load](#)
- 6319053- [Battery vibration control apparatus](#)
- 6333055- [Use of ammonium compounds and/or urea](#)
- 6365158- [Methods for producing neutralizing antitoxin to C. difficile toxin B](#)
- 6180660- [Cholesterol-lowering therapy](#)
- 6128530- [Fail-safe defibrillator](#)
- 6114838- [Battery capacity test method and apparatus](#)
- 5601823- [Avian antitoxins to clostridium difficile toxin A](#)
- 5719267- [Clostridial toxin disease therapy](#)
- 5736139- [Treatment of Clostridium difficile induced disease](#)
- 5744317- [Diagnostic test for replicative senescence in T cells](#)
- 5762934- [Clostridium difficile toxin disease therapy](#)

- 5814477- [Recombinant clostridial toxin protein](#)
- 5917123- [Transgenic mice containing a nucleic acid encoding tumor necrosis factor-.alpha. under the control of a cardiac specific regulatory region](#)
- 5919665- [Vaccine for clostridium botulinum neurotoxin](#)
- 6083756- [Prevention of sudden infant death](#)
- 6084380- [Conforming intelligent battery label](#)
- 6397104- [Defibrillation system having defibrillator with replaceable supply module](#)
- 6411064- [System and method for charging a capacitor using a variable frequency, variable duty cycle current waveform](#)
- 6860268- [Pediatric ventilation mask and headgear system](#)
- 6967088- [Soluble recombinant botulinum toxin proteins](#)
- 6980679- [Method and system for monitoring breathing activity of a subject](#)
- 7041063- [Noninvasive measurement of chemical substances](#)
- 7123758- [Method and system for monitoring breathing activity of a subject](#)
- 7244701- [Diuretic peptide conjugate](#)
- 7257441- [Defibrillation shock strength determination technology](#)
- 7403638- [Method and system for monitoring breathing activity of a subject](#)
- 7403805- [Apparatus and method for noninvasive measurement of analytes from the conjunctiva using mid-infrared radiation](#)
- 7417039- [Use of substituted azetidinone compounds for the treatment of sitosterolemia](#)
- 6743430- [Multicomponent vaccine containing clostridial and non-clostridial organisms in a low dose](#)
- 6703421- [Methods of using phenylmethylbenzoquinone and hydroquinone compounds for treatment of myocarditis, dilated cardiomyopathy and heart failure](#)
- 6675042- [Defibrillation shock strength determination technology](#)
- 6417649- [System and method for charging a capacitor using a constant frequency current waveform](#)
- 6422669- [Carrying case for defibrillator](#)
- 6446290- [Device for ventilation of baby cot, cradle or bag for baby carriage](#)
- 6487442- [Detection of abnormal and induction of normal heat rate variability](#)
- 6496177- [Liquid crystal display \(LCD\) contrast control system and method](#)
- 6544193- [Noninvasive measurement of chemical substances](#)
- 6573003- [Identification of neutralizing epitopes of toxin A and toxin B for the treatment of C. difficile disease](#)
- 6609026- [Carrying case for defibrillator](#)
- 6613329- [Vaccine and antitoxin for treatment and prevention of C. difficile disease](#)
- 6656468- [Clostridial toxin disease therapy](#)
- 7550425- [Diuretic peptide conjugates](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10
Copyright 1997-2009 - BioPortfolio Limited.

