

Death Sudden Cardiac

[View the current Death Sudden Cardiac InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Death_Sudden_Cardiac.html) (PDF)

(http://www.bioportfolio.com/indepth/Death_Sudden_Cardiac.html) - Regularly Updated.

Recent Publications on Death Sudden Cardiac:



- [Letter by Corrado et al regarding article, "sudden deaths in young competitive athletes: analysis of 1866 deaths in the United States, 1980-2006".](#)
BACKGROUND: Single-photon emission computed tomography myocardial... 17th November, 2009 - *Circulation*. 2009 Oct 20;120(16):e143; author reply e144. ([DOI Direct Link](#))
- [Clinical correlates and heritability of QT interval duration in blacks: the Jackson Heart Study.](#)
BACKGROUND: Electrocardiographic QT interval prolongation is a risk factor... 30th October, 2009 Jackson State University, Jackson Heart Study, Jackson, Miss, USA.- *Circ Arrhythm Electrophysiol*. 2009 Aug;2(4):427-32. Epub 2009 May 27. ([DOI Direct Link](#))
- [Biophysical properties of 9 KCNQ1 mutations associated with long-QT syndrome.](#)
BACKGROUND: Inherited long-QT syndrome is characterized by prolonged QT... 30th October, 2009 Department of Medicine and Pharmacology, Oates Institute for Experimental- *Circ Arrhythm Electrophysiol*. 2009 Aug;2(4):417-26. Epub 2009 May 22. ([DOI Direct Link](#))
- [Asymptomatic ventricular preexcitation: a long-term prospective follow-up study of 293 adult patients.](#)
BACKGROUND: Sudden cardiac death can be the first clinical presentation of... 30th October, 2009 Department of Arrhythmology, Electrophysiology, and Cardiac Pacing Unit,- *Circ Arrhythm Electrophysiol*. 2009 Apr;2(2):102-7. Epub 2009 Feb 13. ([DOI Direct Link](#))
- [\[Identity of the cardiological rehabilitation with patients with implanted cardioverter-defibrillator\]](#)
Implantable cardioverter defibrillator - ICD saves people's life and it... 29th October, 2009 Klinika i Katedra Rehabilitacji SPSK nr 7 Slaskiego Uniwersytetu- *Wiad Lek*. 2009;62(1):26-9.
- [Outcomes in heart failure patients referred for consideration of implantable cardioverter defibrillator for primary prophylaxis of sudden cardiac death: what are the risks of waiting?](#)
BACKGROUND: Clinical trials have confirmed that implantable cardioverter... 29th October, 2009 Department of Medicine, St Michael's Hospital, University of Toronto,- *Can J Cardiol*. 2009 Oct;25(10):e342-246.
- [Imaging left ventricular muscarinic receptor heterogeneity: a tool to evaluate individuals at risk for sudden death?](#)
Hypertrophic cardiomyopathy (HCM) may have sudden death as its first... 29th October, 2009 - *Circ Cardiovasc Imaging*. 2009 Sep;2(5):353-5. ([DOI Direct Link](#))
- [Extensive myocardial fibrosis in a patient with hypertrophic cardiomyopathy and ventricular tachycardia without traditional high-risk features.](#)
Hypertrophic cardiomyopathy (HCM) may have sudden death as its first... 27th October, 2009 Ospedale degli Infermi, Rivoli, Torino, Italy.- *Circ Cardiovasc Imaging*. 2009 Jul;2(4):349-50. ([DOI Direct Link](#))

- [Infarct tissue heterogeneity assessed with contrast-enhanced MRI predicts spontaneous ventricular arrhythmia in patients with ischemic cardiomyopathy and implantable cardioverter-defibrillator.](#)
*BACKGROUND: The relation between infarct tissue heterogeneity on...*27th October, 2009
Department of Radiology, Leiden University Medical Center, Leiden, The- Circ Cardiovasc Imaging. 2009 May;2(3):183-90. Epub 2009 Mar 23. ([DOI Direct Link](#))
- [\[The historical review of cardio pulmonary resuscitation\]](#)
*Cardio pulmonary resuscitation is the main method to rescue sudden cardiac...*24th October, 2009
Department of Cardiovascular Medicine of the first hospital of Shanxi- Zhonghua Yi Shi Za Zhi. 2009 Jan;39(1):30-8.
- [Single-photon emission computed tomography myocardial perfusion defects are associated with an increased risk of all-cause death, cardiovascular death, and sudden cardiac death.](#)
*BACKGROUND: Single-photon emission computed tomography myocardial...*21st October, 2009
Division of Cardiology, Department of Medicine, Duke University Medical- Circ Cardiovasc Imaging. 2008 Nov;1(3):180-8. Epub 2008 Sep 17. ([DOI Direct Link](#))
- [Prediction of sudden cardiac death in patients with coronary heart disease: the challenge ahead.](#)
*BACKGROUND: Single-photon emission computed tomography myocardial...*21st October, 2009
- Circ Cardiovasc Imaging. 2008 Nov;1(3):175-7. ([DOI Direct Link](#))
- [The confirmatory trial in comparative-effectiveness research.](#)
*BACKGROUND: Clinical trials have confirmed that implantable cardioverter...*17th October, 2009
- N Engl J Med. 2009 Oct 8;361(15):1498-9. ([DOI Direct Link](#))
- [Defibrillator implantation early after myocardial infarction.](#)
*BACKGROUND: The rate of death, including sudden cardiac death, is highest...*17th October, 2009
Department of Internal Medicine I, Ludwig-Maximilian Universitat, Campus- N Engl J Med. 2009 Oct 8;361(15):1427-36. ([DOI Direct Link](#))
- [\[Sudden unexpected death--hypertrophic cardiomyopathy--genetically verified post-mortem\]](#)
*Hypertrophic cardiomyopathy (HCM) may have sudden death as its first...*14th October, 2009
Retsmedicinsk Institut, Aarhus Universitet, DK-8200 Arhus N.- Ugeskr Laeger. 2009 Sep 21;171(39):2835-6.

BioNews Results for Death Sudden Cardiac

- [Intake of Total Trans, Trans-18:1, and Trans-18:2 Fatty Acids and Risk of Sudden Cardiac Death in Women](#)
Medscape: Nov 20 2009 4:10AM Matching: death sudden cardiac
- [Medical News: Study Supports Use Of MTWA Test As Predictor Of Sudden Cardiac Death](#)
BioFind: Nov 19 2009 5:49PM Matching: death sudden cardiac
- [Study Supports Use Of MTWA Test As Predictor Of Sudden Cardiac Death](#)
Medical News Today: Nov 19 2009 8:23PM Matching: death sudden cardiac
- [Vicor Technologies' PD2i nonlinear algorithm and software: a promising diagnostic for in-field trauma triage](#)
News-Medical.Net: Nov 19 2009 3:11PM Matching: death sudden cardiac
- [USAISR Researcher Dr. Andriy Batchinsky Identifies Vicor's PD2i\(R\) Nonlinear Algorithm as Most Promising Diagn](#)
Genetic Engineering News: Nov 19 2009 2:56PM Matching: death sudden cardiac
- [Study Supports Use of MTWA Test as Predictor of Sudden Cardiac Death](#)
Genetic Engineering News: Nov 18 2009 3:21PM Matching: death sudden cardiac
- [Studies Examine Effectiveness of Implantable Defibrillators](#)
Modern Medicine: Nov 18 2009 1:50AM Matching: death sudden cardiac
- [Sudden cardiac death gene testing helps relatives: study](#)

- HealthCentral.com: Nov 18 2009 7:51AM Matching: death sudden cardiac*
- [Research Recommends Dual Screening Tests for Heart Defects in Young Athletes](#)
MedIndia: Nov 18 2009 3:11PM Matching: death sudden cardiac
 - [Safety and efficacy of drug-eluting vs. bare metal stents in patients with diabetes mellitus: long-term of follow-up in the Swedish Coronary Angiography and Angioplasty Registry \(SCAAR\)](#)
MDLinx: Nov 18 2009 12:58PM Matching: death sudden cardiac
 - [Sudden cardiac death more predictable in men than women](#)
News-Medical.Net: Nov 17 2009 5:43AM Matching: death sudden cardiac
 - [Women Suffering Sudden Cardiac Arrest Have Lower Prevalence Of Structural Heart Disease Compared To Men](#)
Medical News Today: Nov 17 2009 8:18PM Matching: death sudden cardiac
 - [Women Suffering Sudden Cardiac Arrest Have Lower Prevalence of Structural Heart Disease Compared to Men](#)
Newswise: Nov 17 2009 6:52AM Matching: death sudden cardiac
 - [Medical News: Women Suffering Sudden Cardiac Arrest Have Lower Prevalence Of Structural Heart Disease Compared To Men](#)
BioFind: Nov 17 2009 10:45PM Matching: death sudden cardiac
 - [Women suffering sudden cardiac arrest have lower prevalence of structural heart disease than men](#)
EurekAlert!: Nov 17 2009 6:19AM Matching: death sudden cardiac

Death Sudden Cardiac Patents:



- 6609026- [Carrying case for defibrillator](#)
- 6114838- [Battery capacity test method and apparatus](#)
- 6128530- [Fail-safe defibrillator](#)
- 6181102- [Battery pack chemistry detection and identification system and method](#)
- 6201992- [Defibrillator interface capable of generating video images](#)
- 6249105- [System and method for detecting performance components of a battery pack](#)
- 6313609- [Determining battery capacity using one or more applications of a constant power load](#)
- 6319053- [Battery vibration control apparatus](#)
- 6397104- [Defibrillation system having defibrillator with replaceable supply module](#)
- 6411064- [System and method for charging a capacitor using a variable frequency, variable duty cycle current waveform](#)
- 6417649- [System and method for charging a capacitor using a constant frequency current waveform](#)
- 6422669- [Carrying case for defibrillator](#)
- 6496177- [Liquid crystal display \(LCD\) contrast control system and method](#)
- 6084380- [Conforming intelligent battery label](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

