

Ehrlichiosis Tick Bites

[View the current Ehrlichiosis Tick Bites InDepth page on BioPortfolio.com \(PDF\)](#)
(http://www.bioportfolio.com/indepth/Ehrlichiosis_Tick_Bites.html) - Regularly Updated.



Recent Publications on Ehrlichiosis Tick Bites:

- [\[Seroepidemiological evidence of human exposure to Anaplasma sp in Santiago, Chile\]](#)
*OBJECTIVES AND METHODS: To find more evidence of human exposure to...*8th October, 2009
Laboratorio de Infectologia y Virologia Molecular, Pontificia Universidad- Rev Chilena Infectol. 2008 Oct;25(5):358-61. Epub 2008 Oct 1. ([DOI Direct Link](#))
- [\[Diagnosis and treatment of tick infestation and tick-borne diseases with cutaneous manifestations.\]](#)
*Hard and soft ticks may be associated directly or indirectly with a number...*17th September, 2009
Department of Dermatology, Johns Hopkins University, Baltimore, Maryland,- Dermatol Ther. 2009 Jul-Aug;22(4):293-326. ([DOI Direct Link](#))
- [\[What should one do in case of a tick bite?\]](#)
*Ixodes ricinus is the commonest tick species in Europe, and transmits Lyme...*3rd July, 2009
Department of Dermatology, Medical University of Graz, Graz, Austria.- Curr Probl Dermatol. 2009;37:155-66. Epub 2009 Apr 8. ([DOI Direct Link](#))
- [\[Nosocomial transmission of human granulocytic anaplasmosis in China.\]](#)
*CONTEXT: Human granulocytic anaplasmosis (HGA) is an emerging tick-borne...*17th December, 2008
National Institute of Communicable Disease Control and Prevention, China,- JAMA. 2008 Nov 19;300(19):2263-70. ([DOI Direct Link](#))
- [\[Serologic evidence of Anaplasma phagocytophilum infections in patients with a history of tick bite in central Slovakia.\]](#)
*The aim of this study was to determine the risks of human anaplasmosis in...*17th December, 2008
Institute of Virology, Slovak Academy of Sciences, Bratislava, Slovakia.- Wien Klin Wochenschr. 2008;120(13-14):427-31. ([DOI Direct Link](#))
- [\[Ticks and tick-related illness.\]](#)
*The aim of this study was to determine the risks of human anaplasmosis in...*1st October, 2008
Division of Infectious Diseases, The Warren Alpert Medical School of Brown- Med Health R I. 2008 Jul;91(7):209-11.
- [\[Anaplasma phagocytophilum infection in a child.\]](#)
*This is the first case of Anaplasma phagocytophilum infection described in...*5th September, 2008
Laboratory of Clinical Bacteriology, Parasitology, Zoonoses and- Pediatr Infect Dis J. 2008 Jul;27(7):664-6. ([DOI Direct Link](#))
- [\[Application of 10% imidacloprid/50% permethrin to prevent Ehrlichia canis exposure in dogs under natural conditions.\]](#)
*Canine monocytic ehrlichiosis (CME) caused by Ehrlichia canis is the most...*12th August, 2008
Department of Veterinary Public Health, Faculty of Veterinary Medicine,- Vet Parasitol. 2008 May

- 31;153(3-4):320-8. Epub 2008 Feb 16. ([DOI Direct Link](#))
- [A sustained-release formulation of doxycycline hyclate \(Atridox\) prevents simultaneous infection of Anaplasma phagocytophilum and Borrelia burgdorferi transmitted by tick bite.](#)
*Current prophylaxis for infected tick bites consists of personal...*30th May, 2008
Division of Vector-Borne Infectious Diseases, Centers for Disease Control- J Med Microbiol. 2008 Apr;57(Pt 4):463-8. ([DOI Direct Link](#))
 - [\[Probable case of imported human anaplasmosis\]](#)
*A total of 684 Ixodes ricinus ticks (321 nymphs, 184 males, and 179...*19th April, 2008
- Enferm Infecc Microbiol Clin. 2007 Dec;25(10):656-7.
 - [Prevalence of Anaplasma phagocytophilum in Ixodes ricinus ticks determined by polymerase chain reaction with two pairs of primers detecting 16S rRNA and ankA genes.](#)
*A total of 684 Ixodes ricinus ticks (321 nymphs, 184 males, and 179...*25th March, 2008
Department of Occupational Biohazards, Institute of Agricultural Medicine,- Ann Agric Environ Med. 2007 Dec;14(2):281-5.
 - [Rickettsial and other tick-borne infections.](#)
*Tick bites are best prevented by people avoiding tick-infested areas. When...*16th May, 2007
Internal Medicine of Newton County, 4181 Hospital Drive NE, Suite 404,- Crit Care Nurs Clin North Am. 2007 Mar;19(1):27-38. ([DOI Direct Link](#))
 - [A preliminary investigation of Ehrlichia species in ticks, humans, dogs, and capybaras from Brazil.](#)
*A molecular epidemiologic investigation in two Brazilian states (Rondonia...*28th February, 2007
Department of Pathology, University of Texas Medical Branch, Galveston, TX- Vet Parasitol. 2007 Jan 31;143(2):189-95. Epub 2006 Sep 7. ([DOI Direct Link](#))
 - [\[Ehrlichiosis\]](#)
*Ehrlichiosis is a disease caused by Ehrlichiae bacteria. The disease is...*7th November, 2006
Katedra i Klinika Chorob Wewnetrznych i Reumatologii, Slaskiej Akademii- Przegł Lek. 2005;62(12):1529-31.
 - [Dog tick-borne diseases in Sicily.](#)
*In Sicily many tick borne diseases are endemic, in particular way those...*13th October, 2006
National Centre of Reference for Anaplasma, Babesia, Theileria and- Parassitologia. 2006 Jun;48(1-2):145-7.

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

