

# Ganglioside Galactosyltransferase

[View the current Ganglioside Galactosyltransferase InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Ganglioside_Galactosyltransferase.html)

([http://www.bioportfolio.com/indepth/Ganglioside\\_Galactosyltransferase.html](http://www.bioportfolio.com/indepth/Ganglioside_Galactosyltransferase.html))

## Recent Publications on Ganglioside Galactosyltransferase:



- [Upregulation of multidrug resistance-associated protein 3 by acetaminophen may help to increase its own clearance.](#)  
*A 32-year-old woman came to our hospital with purpose of careful...28th March, 2008*  
- Clin Pharmacol Ther. 2008 Apr;83(4):527; author reply 528. ([DOI Direct Link](#))
- [Azadirachta indica leaf extract modulates initiation phase of murine forestomach tumorigenesis.](#)  
*The effects of aqueous Azadirachta indica leaf extract (AAILE) on...6th March, 2008*  
Department of Biophysics, Basic Medical Sciences Block, Panjab University,- Indian J Biochem Biophys. 2007 Aug;44(4):209-15.
- [Differential partitioning and trafficking of GM gangliosides and cholesterol-rich lipid rafts in thymic and splenic CD4 T cells.](#)  
*The GM gangliosides and cholesterol components of plasma membrane lipid...8th February, 2007*  
Department of Medicine, Division of Immunology, Uniformed Services- Mol Immunol. 2007 Jan;44(4):530-40. Epub 2006 Apr 4. ([DOI Direct Link](#))
- [Reversal of non-hydroxy:alpha-hydroxy galactosylceramide ratio and unstable myelin in transgenic mice overexpressing UDP-galactose:ceramide galactosyltransferase.](#)  
*The sphingolipids galactosylceramide and sulfatide are important for the...8th September, 2005*  
Institut fur Physiologische Chemie, University of Bonn, Germany.- J Neurochem. 2005 Jul;94(2):469-81. ([DOI Direct Link](#))
- [GM1 expression in H-ras-transformed NIH3T3 results in the suppression of cell proliferation inducing the partial transfer of activated H-ras from non-raft to raft fraction.](#)  
*c-H-ras is located in lipid/rafts and undergoes cholesterol dependent...29th July, 2005*  
Department of Biochemistry II, Nagoya University School of Medicine, 65- Int J Oncol. 2005 Apr;26(4):897-904.
- [Transcriptional regulation of the human UDP-galactose:ceramide galactosyltransferase \(hCGT\) gene expression: functional role of GC-box and CRE.](#)  
*UDP-galactose:ceramide galactosyltransferase (CGT, EC 2.4.1.45) is a key...16th February, 2005*  
Institute of Molecular Medicine and Genetics, Medical College of Georgia,- Glycoconj J. 2004;20(5):339-51. ([DOI Direct Link](#))
- [Overexpressed GM1 suppresses nerve growth factor \(NGF\) signals by modulating the intracellular localization of NGF receptors and membrane fluidity in PC12 cells.](#)  
*Ganglioside GM1 has been considered to have a neurotrophic factor-like...27th October, 2004*  
Department of Biochemistry II, Nagoya University School of Medicine, 65- J Biol Chem. 2004 Aug 6;279(32):33368-78. Epub 2004 May 15. ([DOI Direct Link](#))

- [Role of oleic acid as a neurotrophic factor is supported in vivo by the expression of GAP-43 subsequent to the activation of SREBP-1 and the up-regulation of stearyl-CoA desaturase during postnatal development of the brain.](#)  
*We have recently reported that albumin, a serum protein present in the...* 15th August, 2003  
Departamento de Bioquímica y Biología Molecular, Universidad de Salamanca,- Brain Res. 2003 Jul 4;977(1):103-11.
- [Galactocerebrosides are required postnatally for stromal-dependent bone marrow lymphopoiesis.](#)  
*Galactocerebrosides (GCs) represent a major class of glycolipids in the...* 2nd August, 2003  
Department of Medicine, Mount Sinai School of Medicine, New York, NY- Immunity. 2003 Jun;18(6):789-800.
- [Nodal sodium channel domain integrity depends on the conformation of the paranodal junction, not on the presence of transverse bands.](#)  
*Our understanding of the role that axoglial interactions play in node of...* 5th April, 2003  
Department Physiology and Neuroscience and Rusk Institute, New York- Glia. 2003 Feb;41(3):318-25.  
([DOI Direct Link](#))
- [Galactolipids are molecular determinants of myelin development and axo-glial organization.](#)  
*Myelination is a developmentally regulated process whereby myelinating...* 11th January, 2003  
UNC Neuroscience Center, University of North Carolina, Chapel Hill, NC- Biochim Biophys Acta. 2002 Dec 19;1573(3):406-13.

## BioNews Results for Ganglioside Galactosyltransferase

- [Ganglioside complexes containing GQ1b as targets in Miller Fisher and Guillain-Barre syndromes](#)  
*MDLinx: Sep 23 2008 1:38PM Matching: ganglioside*

\*\*\*

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Wessex Barn, Dorchester Road, Frampton, Dorset, DT2 9NB, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2008 - BioPortfolio Limited.

