

# Habenula

[View the current Habenula InDepth page on BioPortfolio.com](#) (PDF)

(<http://www.bioportfolio.com/indepth/Habenula.html>) - Regularly Updated.

In neuroanatomy, habenula originally denoted the stalk of the pineal gland, but gradually came to refer to a neighboring group of nerve cells with which the pineal gland was believed to be associated, the habenular nucleus. Currently, the Terminologia Anatomica term refers exclusively to this separate cell mass in the caudal and dorsal aspect of the dorsal thalamus, the epithalamus, embedded in the posterior end of the medullary stria from which it receives most of its afferent fibers. By way of the retroflex fasciculus it projects to the interpeduncular nucleus and other paramedian cell groups of the midbrain tegmentum. Despite its proximity to the pineal stalk, no connecting tissue is known to exist. The habenula is involved in receiving input from the brain via the stria medullaris thalami and output to many midbrain areas involved in releasing personality-related neurotransmitters and neuromodulators, such as dopamine, norepinephrine, and serotonin. The habenula is the only nucleus of the epithalamus. ([From the Wikipedia article Habenula](#).)

## Recent Publications on Habenula:



- [Identification of the zebrafish ventral habenula as a homolog of the mammalian lateral habenula.](#)  
*The mammalian habenula consists of the medial and lateral habenulae....*29th January, 2010  
Laboratory for Developmental Gene Regulation, RIKEN Brain Science- J Neurosci. 2010 Jan 27;30(4):1566-74. ([DOI Direct Link](#))
- [Localization of relaxin-3 in brain of Macaca fascicularis: identification of a nucleus incertus in primate.](#)  
*Relaxin-3 (RLN3) is a highly conserved, ancestral member of the...*26th January, 2010  
Florey Neuroscience Institutes, The University of Melbourne, Victoria- J Comp Neurol. 2009 Dec 20;517(6):856-72. ([DOI Direct Link](#))
- [Distribution of Orexin/Hypocretin Immunoreactivity in the Brain of the Lungfishes Protopterus dolloi and Neoceratodus forsteri.](#)  
*Lungfishes are currently considered the closest living relatives of...*22nd January, 2010  
Department of Cell Biology, Faculty of Biology, University Complutense,- Brain Behav Evol. 2009;74(4):302-322. Epub 2010 Jan 13. ([DOI Direct Link](#))
- [Lateral habenula projections to dopamine and GABA neurons in the rat ventral tegmental area.](#)  
*Ventral tegmental area (VTA) dopamine (DA) neurons and their forebrain...*19th January, 2010  
Department of Neuroscience, University of Pittsburgh, Pittsburgh, PA- Eur J Neurosci. 2009 Oct;30(7):1239-50. Epub 2009 Sep 29. ([DOI Direct Link](#))
- [Phospholipase C- \$\epsilon\$ 2 is highly expressed in the habenula and retina.](#)  
*Phospholipase C (PLC), a key enzyme involved in phosphoinositide turnover,...*12th January, 2010  
Laboratory of Genome and Biosignal, Tokyo University of Pharmacy and Life- Gene Expr Patterns. 2010 Jan 11. ([DOI Direct Link](#))
- [Glutamate, aspartate and nucleotide transporters in the SLC17 family form four main phylogenetic clusters: evolution and tissue expression.](#)

- ABSTRACT: BACKGROUND: The SLC17 family of transporters transports the...* 12th January, 2010  
- BMC Genomics. 2010 Jan 8;11(1):17. ([DOI Direct Link](#))
- [Remission of major depression under deep brain stimulation of the lateral habenula in a therapy-refractory patient.](#)  
*Clinical evaluation of tachykinin NK(3) receptor antagonists has provided...* 8th January, 2010  
- Biol Psychiatry. 2010 Jan 15;67(2):e9-e11. Epub . ([DOI Direct Link](#))
  - [Early differences in epthalamic left-right asymmetry influence lateralization and personality of adult zebrafish.](#)  
*The habenulae are part of an evolutionary conserved conduction system that...* 7th January, 2010  
Department of General Psychology, University of Padova, Via Venezia 8, ZIP- Behav Brain Res. 2010 Jan 20;206(2):208-15. Epub 2009 Sep 16. ([DOI Direct Link](#))
  - [Nicotinic receptors in the habenula: importance for memory.](#)  
*The habenula is an epthalamic structure through which descending...* 26th December, 2009  
Department of Psychiatry and Behavioral Sciences, Duke University Medical- Neuroscience. 2009 Dec 24. ([DOI Direct Link](#))
  - [Brn3a and Nurr1 mediate a gene regulatory pathway for habenula development.](#)  
*The habenula is a dorsal diencephalic structure consisting of medial and...* 16th December, 2009  
Department of Psychiatry, University of California, San Diego, La Jolla,- J Neurosci. 2009 Nov 11;29(45):14309-22. ([DOI Direct Link](#))
  - [Reinforcement learning, conditioning, and the brain: Successes and challenges.](#)  
*The field of reinforcement learning has greatly influenced the...* 16th December, 2009  
Columbia University,- Cogn Affect Behav Neurosci. 2009 Dec;9(4):343-64. ([DOI Direct Link](#))
  - [A sensitizing D-amphetamine dose regimen induces long-lasting spinophilin and VGLUT1 protein upregulation in the rat diencephalon.](#)  
*Numerous studies in this lab and others have reported...* 26th November, 2009  
Department of Neurobiology and Behavior, University of California, Irvine,- Neurosci Lett. 2010 Jan 18;469(1):49-54. Epub 2009 Nov 20. ([DOI Direct Link](#))
  - [In vitro and in vivo comparison of two non-peptide tachykinin NK3 receptor antagonists: Improvements in efficacy achieved through enhanced brain penetration or altered pharmacological characteristics.](#)  
*Clinical evaluation of tachykinin NK(3) receptor antagonists has provided...* 3rd November, 2009  
Neurosciences Centre of Excellence for Drug Discovery, GlaxoSmithKline,- Eur J Pharmacol. 2010 Feb 10;627(1-3):106-14. Epub 2009 Oct 30. ([DOI Direct Link](#))
  - [Metamorphic pitx2 expression in the left habenula correlated with lateralization of eye-sidedness in flounder.](#)  
*The bilateral symmetry of flounder larvae changes through the process of...* 22nd October, 2009  
Laboratory of Bioindustrial Informatics, Graduate School of Agricultural- Dev Growth Differ. 2009 Dec;51(9):797-808. Epub 2009 Oct 15. ([DOI Direct Link](#))
  - [Fos after single and repeated self-administration of cocaine and saline in the rat: emphasis on the Basal forebrain and recalibration of expression.](#)  
*The effects of addictive psychostimulant drugs on the brain change over...* 2nd October, 2009  
Department of Pharmacological and Physiological Science, Saint Louis- Neuropsychopharmacology. 2010 Jan;35(2):445-63. Epub . ([DOI Direct Link](#))

## BioNews Results for Habenula

- [Deep brain stimulation treatment](#)  
*Scientist Live: Jan 12 2010 4:50AM Matching: habenula*
- [Deep Brain Stimulation Succeeds in Treating Severe Depression](#)  
*MedIndia: Jan 11 2010 11:47PM Matching: habenula*
- [Deep brain stimulation successful for treatment of severely depressive patient](#)

- Science Centric: Jan 11 2010 6:18PM Matching: habenula*
- [Severely Depressive Patient Successfully Treated Using Deep Brain Stimulation](#)  
*Medical News Today: Jan 11 2010 11:50AM Matching: habenula*
  - [Medical News: Severely Depressive Patient Successfully Treated Using Deep Brain Stimulation](#)  
*BioFind: Jan 11 2010 1:04PM Matching: habenula*
  - [Neurosurgeons perform world's first operation on 'habenula' to treat depression](#)  
*News-Medical.Net: Jan 9 2010 5:01AM Matching: habenula*
  - [Deep brain stimulation successful for treatment of severely depressive patient](#)  
*EurekAlert!: Jan 8 2010 3:13PM Matching: habenula*
  - [Deep brain stimulation successful for treatment of severely depressive patient](#)  
*Science Daily: Jan 8 2010 5:15PM Matching: habenula*
  - [Deep brain stimulation successful for treatment of severely depressive patient](#)  
*Genetic Engineering News: Jan 8 2010 4:56PM Matching: habenula*

## Habenula Patents:



- 6709866- [Methods for enhancing survival of a neuron](#)
- 6987005- [DNA encoding SNORF33 receptor](#)
- 6992077- [Spirocyclic ligands for sigma receptors, and libraries and methods of use thereof](#)
- 6994856- [ErbB4 receptor-specific neuregulin related ligands and uses therefor](#)
- 6998472- [Obesity gene](#)
- 7001720- [Cloning of a gene mutation for parkinson's disease](#)
- 7014838- [Use of biomolecular targets in the treatment and visualization of brain tumors](#)
- 7022321- [Use of marrow-derived glial progenitor cells as gene delivery vehicles into the central nervous system](#)
- 7030235- [Compositions to detect lesions associated with hearing loss in the cochlear gene, COCH5B2](#)
- 7034112- [Methods for diagnosis and treatment of MDK1 signal transduction disorders](#)
- 7041496- [DNA encoding rodent KCNQ2 potassium channel](#)
- 6987004- [Genes integrating signal transduction pathways](#)
- 6967244- [Neuronal nicotinic acetylcholine receptor compositions](#)
- 6962985- [Mammalian neuralized family transcriptional regulators and uses therefor](#)
- 6750196- [Methods of treating disorders of the eye](#)
- 6762177- [Spirocyclic ligands for sigma receptors, and libraries and methods of use thereof](#)
- 6777236- [Process for producing a neuronal host cell in vitro comprising regulatory sequences of the .beta.2-subunit of the neuronal nicotinic acetylcholine receptor](#)
- 6780871- [Methods and compositions for treating addiction disorders](#)
- 6790656- [DNA encoding galanin GALR2 receptors](#)
- 6818391- [Glutamate transporters](#)
- 6849727- [DNA encoding mammalian neuropeptide FF \(NPFF\) receptors and uses thereof](#)
- 6907280- [Method and apparatus for objectively measuring pain, pain treatment and other related techniques](#)
- 6933122- [A-form of cytoplasmic domain of nARIA \(CRD-neuregulin\) and uses thereof](#)
- 6958323- [Uses of .alpha.-conotoxin peptides](#)
- 7041795- [Potassium channel interacting polypeptides and uses thereof](#)

- 7060449- [Method of preparing GALR2 receptors composition](#)
- 7405053- [Materials and methods relating to G-protein coupled receptor oligomers](#)
- 7416848- [DNA encoding SNORF25 receptor](#)
- 7439029- [Human 9q polypeptides method](#)
- 7465549- [Methods for identifying agents that bind a levetiracetam binding site \(LBS\) or compete with LEV binding to a LBS of a synaptic vesicle protein 2 \(SV2\)](#)
- 7482431- [KCNQ2 potassium channels](#)
- 7507742- [Spirocyclic derivatives](#)
- 7517658- [Methods for preparing compositions using a SNORF33 receptor](#)
- 7541335- [Nogo-receptors and methods of use](#)
- 7556938- [Nucleic acids encoding potassium channel interactors](#)
- 7563862- [Neural regeneration peptides and methods for their use in treatment of brain damage](#)
- 7371535- [Processes for determining compounds that interact with snorf33 receptor](#)
- 7294463- [Method of screening for compounds that modulate activity of a regulatory sequence of the .beta.-2 subunit of a neuronal nicotinic acetylcholine receptor](#)
- 7276339- [DNA encoding mammalian neuropeptide FF \(NPFF\) receptors and uses thereof](#)
- 7078481- [Potassium channel interactors and uses therefor](#)
- 7090985- [Methods for the identification of agents for the treatment of seizures, neurological diseases, endocrinopathies and hormonal diseases](#)
- 7115381- [Methods for treating cardiovascular disorders](#)
- 7122326- [Identification of modulators of neurotransmitter activity of xanthurenic acid](#)
- 7132248- [Uses of galanin GALR2 receptors](#)
- 7235366- [Methods of identifying agonists and antagonists of opioid receptors](#)
- 7241805- [Modified release formulations of a bupropion salt](#)
- 7250496- [Bioinformatically detectable group of novel regulatory genes and uses thereof](#)
- 7252945- [DNA encoding mammalian neuropeptide FF \(NPFF\) receptors and uses thereof](#)
- 7262289- [KCNQ potassium channels and methods of modulating same](#)
- 7598048- [Screening methods for identifying agents that modulate output of a circadian pacemaker](#)

\*\*\*

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2010 - BioPortfolio Limited.

