

Hallux Limitus

[View the current Hallux Limitus InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Hallux_Limitus.html)

(http://www.bioportfolio.com/indepth/Hallux_Limitus.html)



Recent Publications on Hallux Limitus:

- [Foot ulcer risk and location in relation to prospective clinical assessment of foot shape and mobility among persons with diabetes.](#)
*AIMS: We assessed baseline clinical foot shape for 2939 feet of diabetic...*3rd October, 2008
Department of Veterans Affairs, RR&D Center of Excellence for Limb Loss- Diabetes Res Clin Pract. 2008 Sep 29. ([DOI Direct Link](#))
- [Plantar pressure distribution in older people with osteoarthritis of the first metatarsophalangeal joint \(hallux limitus/rigidus\).](#)
*The purpose of this study was to evaluate differences in dynamic plantar...*18th July, 2008
Musculoskeletal Research Centre, Faculty of Health Sciences, La Trobe- J Orthop Res. 2008 Jul 16. ([DOI Direct Link](#))
- [Length of the sesamoids and their distance from the metatarsophalangeal joint space in feet with incipient hallux limitus.](#)
*BACKGROUND: We designed this study to verify whether the sesamoids of the...*11th July, 2008
Department of Podiatrics, University of Seville, Seville, Spain.- J Am Podiatr Med Assoc. 2008 Mar-Apr;98(2):123-9.
- [Modified Youngswick procedure for hallux limitus.](#)
*Multiple surgical procedures have been described for the correction of...*25th April, 2008
SouthWestern Residency Program (Aestheticare/Mission Hospital), PM&S 36,- J Am Podiatr Med Assoc. 2007 Sep-Oct;97(5):420-3.
- [Radiographic study of the size of the first metatarso-digital segment in feet with incipient hallux limitus.](#)
*BACKGROUND: The aim of this study is to confirm whether the absolute and...*11th April, 2008
Department of Podiatrics, Centro Docente de Fisioterapia y Podologia,- J Am Podiatr Med Assoc. 2007 Nov-Dec;97(6):460-8.
- [Relationship between foot type, foot deformity, and ulcer occurrence in the high-risk diabetic foot.](#)
*We hypothesized an association between foot type, foot deformity, and foot...*22nd December, 2007
Department of Veterans Affairs (VA), Rehabilitation Research and- J Rehabil Res Dev. 2005 Sep-Oct;42(5):665-72.
- [Finite element modeling of the first ray of the foot: a tool for the design of interventions.](#)
*Disorders of the first ray of the foot (defined as the hard and soft...*20th December, 2007
Department of Biomedical Engineering, Cleveland Clinic, Cleveland, Ohio- J Biomech Eng. 2007 Oct;129(5):750-6. ([DOI Direct Link](#))
- [Analysis of dynamic angle of gait and radiographic features in subjects with hallux abducto valgus and hallux limitus.](#)

BACKGROUND: Hallux abducto valgus and hallux limitus are two commonly... 12th September, 2007
Centre for Musculoskeletal Studies, University of Western Australia, and- J Am Podiatr Med Assoc.
2007 May-Jun;97(3):175-88.

- [Effect of functional foot orthoses on first metatarsophalangeal joint dorsiflexion in stance and gait.](#)
Reduction in first metatarsophalangeal joint maximum degree of... 24th January, 2007
Department of Applied Biomechanics, California School of Podiatric- J Am Podiatr Med Assoc. 2006
Nov-Dec;96(6):474-81.
- [Effects of hallux limitus on plantar foot pressure and foot kinematics during walking.](#)
The effects of hallux limitus on plantar foot pressure and foot kinematics... 20th January, 2007
Faculty of Physical Education and Physiotherapy, Vrije Universiteit- J Am Podiatr Med Assoc. 2006
Sep-Oct;96(5):428-36.
- [Weight-bearing passive dorsiflexion of the hallux in standing is not related to hallux dorsiflexion during walking.](#)
STUDY DESIGN: Case control study. OBJECTIVE: To explore the validity of... 9th December, 2006
Academic Unit of Musculoskeletal Disease, School of Medicine, University- J Orthop Sports Phys Ther.
2006 Aug;36(8):550-6.
- [Effects of rearfoot-controlling orthotic treatment on dorsiflexion of the hallux in feet with abnormal subtalar pronation: a preliminary report.](#)
The aim of this study was to determine whether the treatment of abnormal... 9th December, 2006
Department of Podiatry, School of Health Sciences, University of Seville,- J Am Podiatr Med Assoc.
2006 Jul-Aug;96(4):283-9.
- [Prediction of diabetic foot ulcer occurrence using commonly available clinical information: the Seattle Diabetic Foot Study.](#)
OBJECTIVE: The ability of readily available clinical information to... 25th October, 2006
Epidemiologic Research and Information Center, VA Puget Sound Health Care- Diabetes Care. 2006
Jun;29(6):1202-7. ([DOI Direct Link](#))
- [Functional hallux limitus and lesser-metatarsal overload.](#)
The implications of functional hallux limitus for lesser-metatarsal... 21st April, 2006
Foot & Ankle Clinic of Montana, 926 13th Ave S, Great Falls, MT 59405,- J Am Podiatr Med Assoc.
2005 Nov-Dec;95(6):593-601.

BioNews Results for Hallux Limitus

- [Pain, a Limp and Winkle Pickers Disease](#)
New York Times: Sep 30 2008 9:13AM Matching: hallux
- [Baby boomers willing to seek help for foot and ankle arthritis](#)
Orthopedics Today: Aug 29 2008 11:54PM Matching: hallux
- [Braking After Bunion Surgery](#)
Newswise: Aug 26 2008 5:53PM Matching: hallux

Hallux Limitus Clinical Trials:



- [Hallux Limitus Treated With Dynamic Splinting: A Randomized, Controlled Trial](#)
Hallux Limitus



Hallux Limitus Patents:

- 7276244- [Methods of treating abnormalities of the first metatarsophalangeal joint of the foot](#)
- 4608988- [Method of treating functional hallux limitus](#)
- 5058585- [Orthotic shoe insert](#)
- 5316018- [Dynamic ambulatory method and apparatus for assessment of joints of the human body](#)
- 5776203- [Metatarsal phalangeal sesamoid prosthetic joint](#)
- 5843085- [Device for repair of hallux valgus](#)
- 5921009- [Foot leverage system and method](#)
- 6231527- [Method and apparatus for biomechanical correction of gait and posture](#)
- 6349487- [Foot leverage system and method](#)
- 6454733- [Foot strap](#)
- 6745501- [Orthotic for improving toe-off action of human foot](#)
- 6874258- [Orthopedic shoe appliance and method](#)
- 6938363- [Orthopedic shoe appliance and method](#)
- 7266910- [Orthotic footplate](#)
- 7270644- [Ankle-foot orthosis having an orthotic footplate](#)
- 4597195- [Human shoe sole](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Wessex Barn, Dorchester Road, Frampton, Dorset, DT2 9NB, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2008 - BioPortfolio Limited.

