

Hearing Loss Sensorineural

[View the current Hearing Loss Sensorineural InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Hearing_Loss_Sensorineural.html)
(http://www.bioportfolio.com/indepth/Hearing_Loss_Sensorineural.html)

Recent Publications on Hearing Loss Sensorineural:



- [Clinical practice. Idiopathic sudden sensorineural hearing loss.](#)
*OBJECTIVES: This prospective study aimed to investigate the quality of...*30th August, 2008
Department of Otolaryngology and Laryngology, Harvard Medical School, Boston,- N Engl J Med. 2008 Aug 21;359(8):833-40. ([DOI Direct Link](#))
- [Ectopic expression of tmie transgene induces various recovery levels of behavior and hearing ability in the circling mouse.](#)
*The circling (cir/cir) mouse is one of the murine models for human...*30th August, 2008
School of Life Sciences and Biotechnology, College of Natural Sciences,- Biochem Biophys Res Commun. 2008 Sep 12;374(1):17-21. Epub 2008 Jun 27. ([DOI Direct Link](#))
- [Sensorineural hearing impairment in children with Chiari I malformation.](#)
*OBJECTIVES: We describe the prevalence of Chiari I malformation in...*23rd August, 2008
Department of Pediatric Otolaryngology, Children's Hospital of Pittsburgh,- Ann Otol Rhinol Laryngol. 2008 Jun;117(6):443-7.
- [\[Trouble with vision, hearing and concentration: Susac's syndrome \]](#)
*To evaluate the hearing function in patients affected by primary antibody...*23rd August, 2008
Service de neurologie, HUG, 1211 Geneve.- Rev Med Suisse. 2008 May 7;4(156):1157-8, 1160-1.
- [Transmastoid labyrinthotomy approach for cochlear implantation in a common cavity malformation: a case report.](#)
*The standard transmastoid facial recess approach has become the popular...*20th August, 2008
Department of Neurotology, Amiralam Hospital, Tehran University of Medical- Ear Nose Throat J. 2008 Jun 13;87(6):E1-3.
- [\[Internal auditory meatus stenosis: case report\]](#)
*It has often been reported that older listeners have difficulty...*15th August, 2008
FAMEMA.- Rev Bras Otorrinolaringol (Engl Ed). 2008 Mar-Apr;74(2):318.
- [\[Pediatric otosclerosis: case report and literature review\]](#)
*Otospongiosis is an osteodystrophy of the temporal bone, characterized by...*15th August, 2008
Hospital CEMA.- Rev Bras Otorrinolaringol (Engl Ed). 2008 Mar-Apr;74(2):303-6.
- [\[Cochlear implant and large vestibular aqueduct syndrome in children\]](#)
*Children with LVAS can develop a severe sensorineural hearing loss early...*15th August, 2008
colegio brasileiro de radiologista, medico radiologista da Imagem- Rev Bras Otorrinolaringol (Engl Ed). 2008 Mar-Apr;74(2):260-4.
- [Sensorineural hearing loss in primary antibody deficiency disorders.](#)
*To evaluate the hearing function in patients affected by primary antibody...*14th August, 2008

Department of Pediatric Otorhinolaryngology, Spedali Civili, Brescia,- J Pediatr. 2008 Aug;153(2):293-6. ([DOI Direct Link](#))

- [The effects of contextual strength on phonetic identification in younger and older listeners.](#)
*It has often been reported that older listeners have difficulty...*8th August, 2008
Centre for Research on Language, Mind, and Brain, McGill University,- Exp Aging Res. 2008 Jul-Sep;34(3):232-50. ([DOI Direct Link](#))
- [Clinical application of long-term intensity and pitch matches in fluctuating low-frequency hearing loss.](#)
*The purpose of this study was to measure changes in intensity and pitch...*26th July, 2008
Department of Clinical Sciences, Lund University, Sweden.- Int J Audiol. 2008 Jul;47(7):412-9. ([DOI Direct Link](#))
- [How to eliminate air-bone gaps audiometrically: use too much masking.](#)
*The excessive, indiscriminate use of masking during measurements of...*26th July, 2008
Department of Speech-Language Pathology and Audiology, Steinhardt School- Ear Nose Throat J. 2008 May;87(5):273-6.
- [Unaided and aided performance with a directional open-fit hearing aid.](#)
*Differences in performance between unaided and aided performance...*26th July, 2008
Department of Otolaryngology, Head and Neck Surgery, Division of Adult- Int J Audiol. 2008 Jun;47(6):329-36. ([DOI Direct Link](#))
- [A 10-year prospective study of sensorineural hearing loss in children with congenital cytomegalovirus infection.](#)
*OBJECTIVE: To determine the incidence, characteristics, and evolution of...*24th July, 2008
Department of Otolaryngology and Head and Neck Surgery, University- J Pediatr. 2008 Jul;153(1):84-8. Epub 2008 Mar 6. ([DOI Direct Link](#))
- [Is microvascular compression of the vestibulocochlear nerve a cause of unilateral hearing loss?](#)
*Children with LVAS can develop a severe sensorineural hearing loss early...*2nd July, 2008
- Ann Otol Rhinol Laryngol. 2008 May;117(5):395-6.

BioNews Results for Hearing Loss Sensorineural

- [Idiopathic Sudden Sensorineural Hearing Loss](#)
New England Journal of Medicine: Aug 20 2008 9:25PM Matching: hearing loss sensorineural

Hearing Loss Sensorineural Clinical Trials:



- [Bed Rest for Idiopathic Sudden Sensorineural Hearing Loss](#)
Sudden Loss of Hearing



Hearing Loss Sensorineural Patents:

- 7253169- [Aza compounds, pharmaceutical compositions and methods of use](#)
- 6572531- [Implantable middle ear implant](#)
- 6331537- [Carboxylic acids and carboxylic acid isosteres of N-heterocyclic compounds](#)
- 6274554- [Method for preventing and treating hearing loss using a neurturin protein product](#)
- 6177434- [Prevention or reversal of sensorineural hearing loss \(SNHL\) through biologic mechanisms](#)
- 6043221- [Method for preventing and treating hearing loss using a neurturin protein product](#)
- 5929041- [Method for preventing and treating sensorineural hearing loss and vestibular disorders using glial cell line-derived neurotrophic factor\(GDNF\) protein product](#)
- 5837681- [Method for treating sensorineural hearing loss using glial cell line-derived neurotrophic factor \(GDNF\) protein product](#)
- 5772575- [Implantable hearing aid](#)
- 6611718- [Hybrid middle ear/cochlea implant system](#)
- 6649621- [Prevention or reversal of sensorineural hearing loss \(SNHL\) through biologic mechanisms](#)
- 7232667- [Keratinocyte growth factor-2 polynucleotides](#)
- 7153883- [Carboxylic acids and carboxylic acid isosteres of N-heterocyclic compounds](#)
- 7068793- [Method of automatically fitting hearing aid](#)
- 6974823- [Hydantoin derivative compounds, pharmaceutical compositions, and methods of using same](#)
- 6907130- [Speech processing system and method using pseudospontaneous stimulation](#)
- 6890751- [NRG-2 nucleic acid molecules, polypeptides, and diagnostic and therapeutic methods](#)
- 6735318- [Middle ear hearing aid transducer](#)
- 6693077- [Keratinocyte growth factor-2](#)
- 5731192- [Collagen COL4A6: gene, protein and method of detecting collagen deficiency](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Wessex Barn, Dorchester Road, Frampton, Dorset, DT2 9NB, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2008 - BioPortfolio Limited.

