

Hypermobility Ehlers-Danlos

[View the current Hypermobility Ehlers-Danlos InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Hypermobility_Ehlers-Danlos.html) (PDF)

(http://www.bioportfolio.com/indepth/Hypermobility_Ehlers-Danlos.html) - Regularly Updated.

Recent Publications on Hypermobility Ehlers-Danlos:



- [Joint hypermobility syndrome pain.](#)
*Joint hypermobility syndrome (JHS) was initially defined as the occurrence...*6th November, 2009
Centre for Rheumatology, University College Hospital, 3rd Floor Central,- Curr Pain Headache Rep. 2009 Dec;13(6):427-33.
- [Loeys-Dietz syndrome type I and type II: clinical findings and novel mutations in two Italian patients.](#)
*BACKGROUND: Loeys-Dietz syndrome (LDS) is a rare autosomal dominant...*4th November, 2009
Division of Biology and Genetics, Department of Biomedical Sciences and- Orphanet J Rare Dis. 2009 Nov 2;4:24. ([DOI Direct Link](#))
- [Contemporary management of vascular complications associated with Ehlers-Danlos syndrome.](#)
*OBJECTIVES: There has been debate regarding the safety of performing...*3rd November, 2009
Division of Vascular and Endovascular Surgery, Johns Hopkins Hospital.- J Vasc Surg. 2009 Oct 29. ([DOI Direct Link](#))
- [Fatigue Is a Frequent and Clinically Relevant Problem in Ehlers-Danlos Syndrome.](#)
*OBJECTIVES: Ehlers-Danlos Syndrome (EDS) is a clinically and genetically...*3rd November, 2009
Neuromuscular Centre Nijmegen, Department of Neurology, Nijmegen, The- Semin Arthritis Rheum. 2009 Oct 29. ([DOI Direct Link](#))
- [The lack of clinical distinction between the hypermobility type of Ehlers-Danlos syndrome and the joint hypermobility syndrome \(a.k.a. hypermobility syndrome\).](#)
*OBJECTIVES: Ehlers-Danlos Syndrome (EDS) is a clinically and genetically...*21st October, 2009
Cincinnati Children's Hospital Medical Center, Cincinnati, Ohio 45229,- Am J Med Genet A. 2009 Nov;149A(11):2368-70. ([DOI Direct Link](#))
- [Contribution of skin biometry to the diagnosis of the Ehlers-Danlos syndrome in a prospective series of 41 patients.](#)
*BACKGROUND/PURPOSE: The diagnosis of the Ehlers-Danlos syndrome (EDS) is...*17th October, 2009
Department of Dermatology, CHRU Tours, Cedex, France.- Skin Res Technol. 2009 Nov;15(4):412-7. ([DOI Direct Link](#))
- [Difficult intubation during rapid sequence induction in a parturient with Ehlers-Danlos syndrome, hypermobility type.](#)
*There have been several reports of resistance to local anaesthetic agents...*8th September, 2009
Warwick Hospital, South Warwickshire General Hospitals NHS Trust, Warwick- Int J Obstet Anesth. 2009 Oct;18(4):408-12. Epub 2009 Sep 4. ([DOI Direct Link](#))
- [Molecular mechanisms of classical Ehlers-Danlos syndrome \(EDS\).](#)

- Classical Ehlers-Danlos syndrome (EDS) is a heritable disorder...*14th August, 2009
Department of Pediatrics, Division of Genetics, University of Washington,- Hum Mutat. 2009 Jun;30(6):995-1002. ([DOI Direct Link](#))
- [Neuromuscular involvement in various types of Ehlers-Danlos syndrome.](#)
*OBJECTIVE: Ehlers-Danlos syndrome (EDS) is a clinically and genetically...*13th August, 2009
Department of Neurology, Neuromuscular Centre Nijmegen, Radboud University- Ann Neurol. 2009 Jun;65(6):687-97. ([DOI Direct Link](#))
 - [Prevalence of urinary and faecal incontinence among female members of the Hypermobility Syndrome Association \(HMSA\).](#)
*The benign joint hypermobility syndrome (BJHS) is a hereditary connective...*16th July, 2009
Department of Urogynaecology, City Hospital, Birmingham, UK.- J Obstet Gynaecol. 2009 Feb;29(2):126-8. ([DOI Direct Link](#))
 - [Successful pregnancy outcome in Ehlers-Danlos syndrome, vascular type.](#)
*BACKGROUND: Ehlers-Danlos syndrome (EDS) is a rare connective tissue...*11th July, 2009
Department of OB/GYN, Johns Hopkins, 600 N Wolfe Street, Phipps Bldg,- J Matern Fetal Neonatal Med. 2009 Oct;22(10):924-7. ([DOI Direct Link](#))
 - [A novel point mutation at donor splice-site in intron 42 of type III collagen gene resulting in the inclusion of 30 nucleotides into the mature mRNA in a case of vascular type of Ehlers-Danlos syndrome.](#)
*Vascular type of Ehlers-Danlos syndrome (EDS) is the most severe type of...*23rd June, 2009
Department of Dermatology, Dokkyo Medical University, 880 Kitakobayashi,- Arch Dermatol Res. 2009 Jun 20. ([DOI Direct Link](#))
 - [Molecular genetic and clinical review of Ehlers-Danlos Type VIIA: implications for management by the plastic surgeon in a multidisciplinary setting.](#)
*A syndrome now known as Ehlers-Danlos, comprising laxity and fragility of...*18th June, 2009
Welsh Centre for Burns and Plastic Surgery, Morriston Hospital, Swansea,- J Plast Reconstr Aesthet Surg. 2009 May;62(5):589-94. Epub 2009 Feb 23. ([DOI Direct Link](#))
 - [The COL5A1 genotype is associated with range of motion measurements.](#)
*There is an interest in identifying the intrinsic risk factors, including...*9th May, 2009
UCT/MRC Research Unit for Exercise Science and Sports Medicine, Department- Scand J Med Sci Sports. 2009 Apr 14. ([DOI Direct Link](#))
 - [Ehlers-Danlos syndrome presenting as dysphonia and manifesting as tongue hypermobility: Report of 2 cases.](#)
*Ehlers-Danlos syndrome (EDS) comprises a group of related hereditary...*19th February, 2009
Division of Head and Neck Surgery, Department of Otolaryngology-Head and- Ear Nose Throat J. 2009 Feb;88(2):E8-12.

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:
Peter Barfoot Managing Director, BioPortfolio Ltd.
UK Tel: (+44) 1300 321501
USA Voicemail and Fax: (+1) 415 680 2472
[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.
BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road,

