

Infantile Paralysis Polio Post-Polio

[View the current Infantile Paralysis Polio Post-Polio InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Infantile_Paralysis_Polio_Post-Polio.html) (PDF)
(http://www.bioportfolio.com/indepth/Infantile_Paralysis_Polio_Post-Polio.html) - Regularly Updated.

Recent Publications on Infantile Paralysis Polio Post-Polio:



- [Fatigue in post-poliomyelitis syndrome: association with disease-related, behavioral, and psychosocial factors.](#)
*OBJECTIVE: To determine the biopsychosocial correlates of general,...*9th October, 2009
Department of Neurology and Neurosurgery, Montreal Neurological Institute- PM R. 2009
May;1(5):442-9. ([DOI Direct Link](#))
- [Post-polio syndrome: epidemiologic and prognostic aspects in Brazil.](#)
*OBJECTIVES: To describe the clinical and epidemiological aspects of...*2nd October, 2009
School of Public Health, University of Sao Paulo, Sao Paulo, Brazil.- Acta Neurol Scand. 2009
Sep;120(3):191-7. ([DOI Direct Link](#))
- [Importance of neurological evaluation before reverse shoulder arthroplasty in patients with previous poliomyelitis.](#)
*We present a case report of a patient, affected by post-polio syndrome and...*21st July, 2009
Department of Orthopaedics and Traumatology, University of Turin, Turin,- Prosthet Orthot Int. 2009
Jun;33(2):167-72. ([DOI Direct Link](#))
- [Prolonged benefit in post-polio syndrome from comprehensive rehabilitation: a pilot study.](#)
*PURPOSE: To report physical, psychological and functional outcomes from a...*3rd June, 2009
Lane-Fox Respiratory Unit, Guy's and St Thomas' Foundation Trust, London,- Disabil Rehabil.
2009;31(4):309-17. ([DOI Direct Link](#))
- [Basal metabolic rate and body composition in patients with post-polio syndrome.](#)
*The aim of this study was to compare basal metabolic rate (BMR) of...*18th April, 2009
Department of Physiology, Neuromuscular Diseases Division, Federal- Ann Nutr Metab.
2008;53(3-4):199-204. Epub 2008 Nov 28. ([DOI Direct Link](#))
- [Short-term effects of aerobic exercise on functional capacity, fatigue, and quality of life in patients with post-polio syndrome.](#)
*OBJECTIVE: To investigate and compare the impact of hospital and home...*9th April, 2009
Ege University Medical Faculty Physical Medicine and Rehabilitation- Clin Rehabil. 2009
Feb;23(2):155-63. ([DOI Direct Link](#))
- [Simultaneous femoral and tibial osteotomies during total knee arthroplasty for severe extra-articular deformity.](#)
*Total knee arthroplasty (TKA) performed in knees with mild or moderate...*1st April, 2009
Department of Orthopedics, Brigham and Women's Hospital, Boston, MA, USA.- J Knee Surg. 2009
Jan;22(1):21-6.

- [Restless legs may be associated with the post-polio syndrome.](#)
*Restless legs syndrome (RLS) has been described in association with a...*27th March, 2009
Sobell Department of Motor Neuroscience and Movement Disorders, Institute- Parkinsonism Relat Disord. 2009 Jan;15(1):74-5. Epub 2008 Mar 28. ([DOI Direct Link](#))
- [Identification of novel candidate protein biomarkers for the post-polio syndrome - implications for diagnosis, neurodegeneration and neuroinflammation.](#)
*Survivors of poliomyelitis often develop increased or new symptoms decades...*14th March, 2009
Department of Clinical Sciences, Danderyd Hospital, Karolinska Institute,- J Proteomics. 2009 Jan 30;71(6):670-81. Epub 2008 Dec 3. ([DOI Direct Link](#))
- [Bilateral emphysematous pyelonephritis in a post-polio syndrome man.](#)
*Restless legs syndrome (RLS) has been described in association with a...*13th February, 2009
Department of Emergency Medicine, Mackay Memorial Medical Center, Taipei,- J Emerg Med. 2008 Oct;35(3):309-12. Epub 2008 Feb 21. ([DOI Direct Link](#))
- [Electromyographic and neuromuscular analysis in patients with post-polio syndrome.](#)
*Proceed to a comparative analysis of the electromyographic (EMG) activity...*24th January, 2009
Physical Therapy Clinic, Health Sciences Department, Nove de Julho- Electromyogr Clin Neurophysiol. 2008 Nov-Dec;48(8):329-33.
- [Teamworking post-polio.](#)
*People with post-polio syndrome are used to getting on with their lives,...*19th November, 2008
- Nurs Stand. 2008 May 28-Jun 3;22(38):22.
- [Effects of resistance training in combination with coenzyme Q10 supplementation in patients with post-polio: a pilot study.](#)
*OBJECTIVE: Coenzyme Q10 supplementation leads to increased muscle...*22nd October, 2008
Department of Clinical Sciences, Karolinska Institutet, Division of- J Rehabil Med. 2008 Oct;40(9):773-5. ([DOI Direct Link](#))
- [Vitality among Swedish patients with post-polio: a physiological phenomenon.](#)
*OBJECTIVE: To evaluate vitality and fatigue in post-polio patients, and...*22nd October, 2008
Department of Rehabilitation Medicine, Danderyd University Hospital,- J Rehabil Med. 2008 Oct;40(9):709-14. ([DOI Direct Link](#))
- [Re: Modafinil for treatment of fatigue in post-polio syndrome: a randomized controlled trial.](#)
*Restless legs syndrome (RLS) has been described in association with a...*8th March, 2008
- Neurology. 2008 Feb 26;70(9):736-7; author reply 737-8. ([DOI Direct Link](#))

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

