

Polycarboxylate Cement

[View the current Polycarboxylate Cement InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Polycarboxylate_Cement.html) ([PDF](#))

(http://www.bioportfolio.com/indepth/Polycarboxylate_Cement.html) - Regularly Updated.

Recent Publications on Polycarboxylate Cement:



- [Polycarbonate bottle use and urinary bisphenol A concentrations.](#)
*BACKGROUND: Bisphenol A (BPA) is a high-production-volume chemical...*17th November, 2009
Department of Epidemiology, Harvard School of Public Health, Harvard- Environ Health Perspect. 2009 Sep;117(9):1368-72. Epub 2009 May 12. ([DOI Direct Link](#))
- [Polycarbonate plastics and human BPA exposure: urinary levels rise with use of drinking bottles.](#)
*BACKGROUND: Bisphenol A (BPA) is a high-production-volume chemical...*17th November, 2009
- Environ Health Perspect. 2009 Sep;117(9):A406.
- [Functional polycarbonates and their self-assemblies as promising non-viral vectors.](#)
*Polycarbonates are promising biomaterials due to their biocompatibility,...*17th November, 2009
Institute of Bioengineering and Nanotechnology, Singapore 138669,- J Control Release. 2009 Oct 1;139(1):40-7. Epub 2009 May 23. ([DOI Direct Link](#))
- [Polyethylenimine-grafted polycarbonates as biodegradable polycations for gene delivery.](#)
*Polycations as one of non-viral vectors have gained increasing attentions....*11th November, 2009
Key Laboratory of Biomedical Polymers of Ministry of Education, Department- Biomaterials. 2009 Sep;30(27):4824-32. Epub 2009 Jun 17. ([DOI Direct Link](#))
- [A novel nanocomposite polymer for development of synthetic heart valve leaflets.](#)
*A novel nanocomposite polymer with a polycarbonate soft segment (PCU) and...*6th November, 2009
Centre for Nanotechnology, Biomaterials & Tissue Engineering, UCL Division- Acta Biomater. 2009 Sep;5(7):2409-17. Epub 2009 Feb 21. ([DOI Direct Link](#))
- [Reactive surface coatings based on polysilsesquioxanes: controlled functionalization for specific protein immobilization.](#)
*The key designing in reliable biosensors is the preparation of thin films...*5th November, 2009
Institute of Organic Chemistry, University of Mainz, 55099 Mainz, Germany.- Langmuir. 2009 Sep 1;25(17):10068-76. ([DOI Direct Link](#))
- [Fluoride release and cariostatic potential of orthodontic adhesives with and without daily fluoride rinsing.](#)
*INTRODUCTION: In this study, we aimed to evaluate the fluoride-release...*30th October, 2009
Department of Orthodontics, University Medical Center Groningen,- Am J Orthod Dentofacial Orthop. 2009 Oct;136(4):547-53. ([DOI Direct Link](#))
- [Selective adsorption of surface-modified ferritin on a phase-separated polymer blend.](#)
*We compare the adsorption behavior of wild and surface-modified ferritin...*24th October, 2009
Department of Chemical Engineering and Materials Science, Stevens- Colloids Surf B Biointerfaces. 2009 Oct 1;73(1):152-5. Epub 2009 May 14. ([DOI Direct Link](#))
- [Influence of cervical finish line type on the marginal adaptation of zirconia ceramic crowns.](#)

- The current study evaluated the effect of different cervical finish line...*17th October, 2009
Ege University School of Dentistry, Bornova, Izmir, Turkey.- Oper Dent. 2009 Sep-Oct;34(5):586-92.
- [The efficacy of a modified omega wire extension for the treatment of severely damaged primary anterior teeth.](#)
*OBJECTIVES: The restoration of the severely damaged anterior teeth is...*14th October, 2009
Department of Pediatric Dentistry, Tabriz University of Medical Sciences,- J Clin Pediatr Dent. 2009 Summer;33(4):283-8.
 - [An investigation of thermal changes of various permanent dental cements.](#)
*The aim of this study was to investigate and compare the temperature rises...*9th October, 2009
Department of Prosthodontics, Faculty of Dentistry, Ataturk University,- Dent Mater J. 2009 May;28(3):285-9.
 - [Development of a new temporary luting agent consisting of PEMA and eugenol--residue ratio and bond strength of luting cements for abutment materials.](#)
*PEMA- and eugenol-based trial agents (PE 1.0, PE 1.6) possessed the...*9th October, 2009
Department of Biomaterials Science, Ohu University School of Dentistry,- Dent Mater J. 2009 May;28(3):261-6.
 - [Gold nanoparticle-based enhanced chemiluminescence immunosensor for detection of Staphylococcal Enterotoxin B \(SEB\) in food.](#)
*Staphylococcal enterotoxins (SEs) are major cause of foodborne diseases,...*2nd October, 2009
Center for Advanced Sensor Technology, University of Maryland Baltimore- Int J Food Microbiol. 2009 Aug 15;133(3):265-71. Epub 2009 Jun 7. ([DOI Direct Link](#))
 - [High speed nanofluidic protein accumulator.](#)
*Highly efficient preconcentration is a crucial prerequisite to the...*12th August, 2009
Nanoelectronics Lab, University of Cincinnati, Cincinnati, Ohio- Lab Chip. 2009 Jul 7;9(13):1890-6. Epub 2009 Mar 27. ([DOI Direct Link](#))
 - [Polycarbonate microchannel network with carpet of gold nanowires as SERS-active device.](#)
*A polycarbonate (PC) microchannel network supporting gold nanowires was...*30th July, 2009
Laboratoire Interfaces et Systemes Electrochimiques, UPR 15 CNRS, Casier- Lab Chip. 2009 Jun 21;9(12):1806-8. Epub 2009 Mar 13. ([DOI Direct Link](#))

BioNews Results for Polycarboxylate Cement

- [FDA review diet drug risks](#)
Straits Times: Nov 21 2009 1:27AM Matching: cement
- [FDA panel backs Pfizer's enhanced vaccine for kids](#)
KOMO 4: Nov 20 2009 11:51PM Matching: cement
- [FDA panel backs Pfizer's enhanced vaccine for kids](#)
KEPR-TV: Nov 20 2009 9:43PM Matching: cement
- [It's Saturday night for Senate test vote on health reform](#)
News-Medical.Net: Nov 20 2009 4:41PM Matching: cement
- [FDA panel backs Pfizer's enhanced vaccine for kids](#)
The Item: Nov 20 2009 1:56PM Matching: cement
- [FDA panel backs Pfizer's enhanced vaccine for kids](#)
KVAL 13: Nov 20 2009 5:52AM Matching: cement
- [FDA panel backs Pfizer's enhanced vaccine for kids](#)
KCBY.com: Nov 20 2009 3:13AM Matching: cement
- [FDA panel backs Pfizer's enhanced vaccine for kids](#)
KPIC 4 - Roseburg: Nov 20 2009 12:47AM Matching: cement
- [Doctors Research wins FDA clearance for Kryptonite bone cement](#)

Pharmacy Choice: Nov 19 2009 10:38PM Matching: cement

- [CNN - 25 Top Companies For Leaders](#)
WPXI: Nov 19 2009 3:26PM Matching: cement
- [CNN - 25 Top Companies For Leaders](#)
NewsNet 5: Nov 19 2009 3:19PM Matching: cement
- [CNN - 25 Top Companies For Leaders](#)
BayInsider: Nov 19 2009 3:16PM Matching: cement
- [FDA panel backs Pfizer's enhanced vaccine for kids](#)
Katu.com: Nov 19 2009 8:15PM Matching: cement
- [FDA panel backs Pfizer's enhanced vaccine for kids](#)
KIDK 3: Nov 19 2009 6:05PM Matching: cement
- [FDA panel backs Pfizer's enhanced vaccine for kids](#)
Town Hall: Nov 19 2009 4:16PM Matching: cement

Polycarboxylate Cement Patents:



- 4524824- [Dental cement](#)
- 4961924- [Stabilized stannous fluoride toothpaste](#)
- 4966465- [Method for storing, mixing and dispensing dental materials](#)
- 4970065- [Stabilized aqueous stannous fluoride mouthwash](#)
- 5009883- [Aqueous stannous fluoride non-abrasive home treatment gel compositions](#)
- 5009884- [Stabilized aqueous stannous fluoride mouthwash](#)
- 5017363- [Stabilized stannous fluoride toothpaste](#)
- 5049076- [Method of bonding metal to dentine](#)
- 5063257- [Dental glass ionomer cement compositions](#)
- 5084491- [Reinforcing glass ionomer dental filling material with stainless steel, or metals thereof](#)
- 5108506- [Dental cement hardened by a carboxyl group-modified silicone oil and a hardening accelerator](#)
- 4960586- [Aqueous stannous fluoride non-abrasive home treatment gel compositions](#)
- 4850872- [Dental restoration](#)
- 4813874- [Etched porcelain veneer crowns](#)
- 4591384- [Dental cement compositions](#)
- 4645457- [Endodontic material and method](#)
- 4647600- [Dental cement compositions](#)
- 4648844- [Dental lining composition](#)
- 4652593- [Dental aluminate cement compositions](#)
- 4677140- [Surgical cement containing .alpha.-tricalcium phosphate, poly\(carboxylic acid\) and water](#)
- 4678436- [Color-changeable cement composition for dental use](#)
- 4681544- [Oral pack retention system](#)
- 4684673- [Surgical cement from amorphous tricalcium phosphate, poly\(carboxylic acid\) and water](#)
- 4758163- [Endodontic material and method](#)
- 5154613- [Dental cement for a temporary dental prosthesis or appliance and method for removing same](#)
- 5189077- [Reinforcing glass ionomer dental filling material with titanium stainless steel, or metals thereof](#)

- 6017982- [Organic polyacid/base reaction cement](#)
- 6030355- [Orthopedic support material containing a silicate](#)
- 6063832- [Method of setting a dental cement composition](#)
- 6071833- [Method of repairing walls and ceilings](#)
- 6355704- [Bonding composition for dental use](#)
- 6512068- [Adhesive composition and method for producing it](#)
- 6569924- [Solubilized defoamers for cementitious compositions](#)
- 6790877- [Bonding compositions for dental use](#)
- 6872244- [Paste type dental glass ionomer cement composition](#)
- 6939901- [Adhesive composition](#)
- 5883153- [Fluoride ion sustained release preformed glass ionomer filler and dental compositions containing the same](#)
- 5844019- [Tooth-surface treatment agent for use with dental glass ionomer cement](#)
- 5708052- [Compositions and methods for priming and sealing dental and biological substrates](#)
- 5252121- [Amalgam-glass ionomer bonding system](#)
- 5273574- [Bond between amalgam and glass ionomer cement](#)
- 5326264- [Method to reinforce endodontically treated teeth and passive post](#)
- 5382284- [Glass ionomer cement compositions and restorative methods](#)
- 5427613- [Glass ionomer cement compositions and restorative methods](#)
- 5432212- [Dispersant composition for cement having excellent property in inhibition of slump-loss](#)
- 5520725- [Dental glass ionomer cement composition](#)
- 5534562- [Compositions and methods for priming and sealing dental and biological substrates](#)
- 5622552- [Glass ionomer cement compositions and restorative methods](#)
- 5697783- [Orthodontic band](#)
- 7479157- [Stent designs which enable the visibility of the inside of the stent during MRI](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:Peter.Barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

