

# Polyribonucleotide Nucleotidyltransferase

[View the current Polyribonucleotide Nucleotidyltransferase InDepth page on BioPortfolio.com \(PDF\)](#)  
([http://www.bioportfolio.com/indepth/Polyribonucleotide\\_Nucleotidyltransferase.html](http://www.bioportfolio.com/indepth/Polyribonucleotide_Nucleotidyltransferase.html)) - Regularly Updated.

## Recent Publications on Polyribonucleotide Nucleotidyltransferase:



- [Bacillus subtilis trp Leader RNA: RNase J1 endonuclease cleavage specificity and PNPase processing.](#)  
*In the presence of ample tryptophan, transcription from the Bacillus...*7th November, 2009  
Department of Pharmacology and Systems Therapeutics, Mount Sinai School of- J Biol Chem. 2009 Sep 25;284(39):26394-401. Epub 2009 Jul 28. ([DOI Direct Link](#))
- [Arginine-rich RNA binding domain and protein scaffold domain of RNase E are important for degradation of RNAI but not for that of the Rep mRNA of the ColE2 plasmid.](#)  
*Expression of the replication initiator protein (Rep) of the ColE2 plasmid...*19th September, 2009  
Department of Biology, Shinshu University, Asahi, Matsumoto, Nagano,- Plasmid. 2009 Sep;62(2):83-7. Epub 2009 May 6. ([DOI Direct Link](#))
- [Identification and characterization of growth suppressors of Escherichia coli strains lacking phosphorolytic ribonucleases.](#)  
*RNases are involved in critical aspects of RNA metabolism in all...*18th September, 2009  
Department of Biochemistry and Molecular Biology, University of Miami- J Bacteriol. 2009 Sep;191(18):5622-7. Epub 2009 Jul 17. ([DOI Direct Link](#))
- [Identification and functional analysis of RNase E of Vibrio angustum S14 and two-hybrid analysis of its interaction partners.](#)  
*RNase E is an essential enzyme that catalyses RNA processing. Microdomains...*2nd September, 2009  
Systems Biology Laboratory, School of Biotechnology and Biomolecular- Biochim Biophys Acta. 2009 Aug;1794(8):1107-14. Epub 2009 Apr 2. ([DOI Direct Link](#))
- [Evidence for a degradosome-like complex in the mitochondria of Trypanosoma brucei.](#)  
*Mitochondrial RNA turnover in yeast involves the degradosome, composed of...*21st August, 2009  
Department of Microbiology and Immunology, Witebsky Center for Microbial- FEBS Lett. 2009 Jul 21;583(14):2333-8. Epub 2009 Jun 18. ([DOI Direct Link](#))
- [Bacillus subtilis polynucleotide phosphorylase 3'-to-5' DNase activity is involved in DNA repair.](#)  
*In the presence of Mn(2+), an activity in a preparation of purified...*6th August, 2009  
Department of Microbial Biotechnology, Centro Nacional de Biotecnologia,- Nucleic Acids Res. 2009 Jul;37(12):4157-69. Epub 2009 May 11. ([DOI Direct Link](#))
- [Polyadenylation in Arabidopsis and Chlamydomonas organelles: the input of nucleotidyltransferases, poly\(A\) polymerases and polynucleotide phosphorylase.](#)  
*The polyadenylation-stimulated RNA degradation pathway takes place in...*30th July, 2009  
Boyce Thompson Institute for Plant Research, Tower Rd., Ithaca, NY 14853,- Plant J. 2009 Jul;59(1):88-99. Epub 2009 Feb 26. ([DOI Direct Link](#))
- [Polynucleotide phosphorylase protects Escherichia coli against oxidative stress.](#)

*Escherichia coli* polynucleotide phosphorylase (PNPase) primarily functions...21st July, 2009  
College of Biomedical Science, Florida Atlantic University, 777 Glades- Biochemistry. 2009 Mar  
10;48(9):2012-20. ([DOI Direct Link](#))

- [Crystal structure of Escherichia coli polynucleotide phosphorylase core bound to RNase E, RNA and manganese: implications for catalytic mechanism and RNA degradosome assembly.](#)  
*Polynucleotide phosphorylase (PNPase) is a processive exoribonuclease that...*6th June, 2009  
Department of Biochemistry, University of Cambridge, UK.- J Mol Biol. 2009 May 29;389(1):17-33.  
Epub 2009 Mar 24. ([DOI Direct Link](#))
- [The role of 3'-5' exoribonucleases in RNA degradation.](#)  
*RNA degradation is a major process controlling RNA levels and plays a...*11th April, 2009  
Instituto de Tecnologia Quimica e Biologica, Universidade Nova de Lisboa,- Prog Mol Biol Transl Sci.  
2009;85:187-229. ([DOI Direct Link](#))
- [Autogenous regulation of Escherichia coli polynucleotide phosphorylase expression revisited.](#)  
*The Escherichia coli polynucleotide phosphorylase (PNPase; encoded by...*27th March, 2009  
Dipartimento di Scienze biomolecolari e Biotecnologie, Universita degli- J Bacteriol. 2009  
Mar;191(6):1738-48. Epub 2009 Jan 9. ([DOI Direct Link](#))
- [Assaying DEAD-box RNA helicases and their role in mRNA degradation in Escherichia coli.](#)  
*The DEAD-box RNA helicases are a ubiquitous family of enzymes involved in...*3rd March, 2009  
Laboratoire de Microbiologie et Genetique Moleculaire, Centre National de- Methods Enzymol.  
2008;447:183-97. ([DOI Direct Link](#))
- [New insights into the cellular organization of the RNA processing and degradation machinery of Escherichia coli.](#)  
*Ribonuclease E (RNase E) is a component of the Escherichia coli RNA...*17th December, 2008  
Department of Molecular, Microbial, and Structural Biology, University of- Mol Microbiol. 2008  
Nov;70(4):780-2. ([DOI Direct Link](#))
- [The RNase E of Escherichia coli is a membrane-binding protein.](#)  
*RNase E is an essential endoribonuclease involved in RNA processing and...*17th December, 2008  
Laboratoire de Microbiologie et Genetique Moleculaire, UMR 5100, Centre- Mol Microbiol. 2008  
Nov;70(4):799-813. Epub 2008 Oct 2. ([DOI Direct Link](#))
- [Polynucleotide phosphorylase hinders mRNA degradation upon ribosomal protein S1 overexpression in Escherichia coli.](#)  
*The exoribonuclease polynucleotide phosphorylase (PNPase, encoded by pnp)...*15th November, 2008  
Dipartimento di Scienze biomolecolari e Biotecnologie, Universita degli- RNA. 2008  
Nov;14(11):2417-29. Epub 2008 Sep 29. ([DOI Direct Link](#))

## Polyribonucleotide Nucleotidyltransferase Patents:



- 7556922- [Motion resolved molecular sequencing](#)
- 6822071- [Polypeptides from Chlamydia pneumoniae and their use in the diagnosis, prevention and treatment of disease](#)
- 6908740- [Methods and apparatus for gel-free qualitative and quantitative proteome analysis, and uses therefore](#)
- 6951923- [Genes displaying enhanced expression during cellular senescence and terminal cell differentiation and uses thereof](#)

- 7018794- [Methods for monitoring multiple gene expression](#)
- 7060458- [Nucleic acid and amino acid sequences relating to Staphylococcus epidermidis for diagnostics and therapeutics](#)
- 7141663- [Genes coding for metabolic pathway proteins](#)
- 7355032- [Genes coding for metabolic pathway proteins](#)
- 7439050- [Corynebacterium glutamicum genes encoding diaminopimelate epimerase](#)
- 7547513- [Mutants of deoxycytidine kinase having extended enzymatic activity](#)
- 6737247- [Imaging of enzymatic activity](#)

\*\*\*

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

