

Reoperation

[View the current Reoperation InDepth page on BioPortfolio.com \(PDF\)](#)

(<http://www.bioportfolio.com/indepth/Reoperation.html>) - Regularly Updated.

Recent Publications on Reoperation:



- [Effectiveness and safety of splenectomy for gastric carcinoma: A meta-analysis.](#)
*AIM: To evaluate the impact of splenectomy on long-term survival,...*13th November, 2009
Department of Gastrointestinal Surgery, West China Hospital, Sichuan- World J Gastroenterol. 2009 Nov 14;15(42):5352-9.
- [Two-Year Results on Morbidity, Weight Loss and Quality of Life of Sleeve Gastrectomy as First Procedure, Sleeve Gastrectomy After Failure of Gastric Banding and Gastric Banding.](#)
*BACKGROUND: Sleeve gastrectomy (SG) is an alternative to gastric bypass...*11th November, 2009
Department of Digestive Surgery, Amiens North Hospital, University of- Obes Surg. 2009 Nov 10. ([DOI Direct Link](#))
- [Subclinical Intestinal Inflammation in Patients with Crohn's Disease Following Bowel Resection: A Smoldering Fire.](#)
*BACKGROUND/AIMS: Fecal lactoferrin is the direct expression of intestinal...*11th November, 2009
IV Unit of Surgery, Regional Hospital Ca Foncello, Piazza Ospedale 1,- J Gastrointest Surg. 2009 Nov 10. ([DOI Direct Link](#))
- [Total arch replacement for distal enlargement after ascending aortic replacement for acute type a aortic dissection.](#)
*OBJECTIVE: Distal reoperations for aortic dissection are associated with...*11th November, 2009
Division of Thoracic and Cardiovascular Surgery, Department of- Ann Thorac Cardiovasc Surg. 2009 Oct;15(5):318-23.
- [Paraesophageal hiatal hernia. Open vs. laparoscopic surgery.](#)
*Background: paraesophageal hiatal hernia represents 5-10% of hiatal...*11th November, 2009
- Rev Esp Enferm Dig. 2009 Oct;101(10):706-711.
- [More Than 25 Years of Surgical Treatment of Hydatid Cysts in a Nonendemic Area Using the "Frozen Seal" Method.](#)
*BACKGROUND: Hydatid disease of the liver remains endemic in the world and...*10th November, 2009
Department of Surgery, Maastricht University Medical Center, P. Debeylaan- World J Surg. 2009 Nov 7. ([DOI Direct Link](#))
- [\[Myers technique and patch enlargement of ascending aorta for diffuse supraaortic stenosis\]](#)
*A 6-year-old boy was diagnosed with aggravation of diffuse supraaortic...*10th November, 2009
Department of Congenital Cardiovascular Surgery, Gifu General Hospital,- Kyobu Geka. 2009 Nov;62(12):1061-4.
- [\[Reoperation for postoperative pseudoaneurysm after repair for acute aortic dissection associated with disseminated intravascular coagulation and chronic renal failure\]](#)

We report a very high risk case of reoperation for pseudoaneurysm after... 10th November, 2009
Department of Cardiovascular Surgery, Seirei Hamamatsu General Hospital,- Kyobu Geka. 2009
Nov;62(12):1056-60.

- [Middle pancreatectomy with pancreaticogastrostomy: A technique, operative outcomes, and long-term pancreatic function.](#)
BACKGROUND AND OBJECTIVES: Middle pancreatectomy is infrequently performed... 7th November, 2009
Department of Surgery, Division of Clinical Medical Science, Graduate- J Surg Oncol. 2009 Nov 5. ([DOI Direct Link](#))
- [Aortic valve replacement: a prospective randomized evaluation of mechanical versus biological valves in patients ages 55 to 70 years.](#)
OBJECTIVES: The aim of this study was to determine long-term results... 7th November, 2009
Cardiac Surgery Unit, University Federico II, School of Medicine, Naples,- J Am Coll Cardiol. 2009 Nov 10;54(20):1862-8. ([DOI Direct Link](#))
- [Coronary arteriovenous fistulas in the adults: natural history and management strategies.](#)
ABSTRACT: OBJECTIVE: To describe aspects of the natural history and... 7th November, 2009
- J Cardiothorac Surg. 2009 Nov 6;4(1):62. ([DOI Direct Link](#))
- [Open heart reoperations after coronary artery bypass grafting: the role of preoperative imaging with multidetector computed tomography.](#)
BACKGROUND: Injury to patent grafts or cardiac chambers may occur during... 7th November, 2009
Department of Radiology, Tel Aviv Sourasky Medical Center, Tel Aviv,- Isr Med Assoc J. 2009 Aug;11(8):465-9.
- [Treatment of an osteoporotic Hoffa fracture.](#)
Two patients with Hoffa fracture of the knee, both suffering from... 6th November, 2009
Department of Orthopaedics and Traumatology, Alice Ho Miu Ling Nethersole- Knee Surg Sports Traumatol Arthrosc. 2009 Nov 5. ([DOI Direct Link](#))
- [On-pump versus off-pump coronary-artery bypass surgery.](#)
BACKGROUND: Coronary-artery bypass grafting (CABG) has traditionally been... 6th November, 2009
Northport Veterans Affairs (VA) Medical Center, Northport, NY, USA.- N Engl J Med. 2009 Nov 5;361(19):1827-37. ([DOI Direct Link](#))
- [Effect of additional reconstructive surgery on perioperative and postoperative morbidity in women undergoing vaginal hysterectomy.](#)
OBJECTIVE: To estimate the risk of perioperative and postoperative... 6th November, 2009
Division of Gynecologic Surgery, Mayo Clinic, Rochester, Minnesota 55905,- Obstet Gynecol. 2009 Oct;114(4):720-6. ([DOI Direct Link](#))

Reoperation Clinical Trials:



- [A Pilot Study to Evaluate the BodyLogic TM System \(Mentor\) in Augmentation Mammoplasty](#)



Reoperation Patents:

- 7201870- [Active air removal system operating modes of an extracorporeal blood circuit](#)
- 7273602- [Immunotherapy for humans](#)
- 7277758- [Methods and systems for predicting future symptomatology in a patient suffering from a neurological or psychiatric disorder](#)
- 7288096- [Apparatus for placement of cardiac defibrillator and pacer](#)
- 7294312- [Test cartridge holder for blood samples](#)
- 7324851- [Closed-loop feedback-driven neuromodulation](#)
- 7335334- [Active air removal from an extracorporeal blood circuit](#)
- 7335648- [Non-nucleotide composition and method for inhibiting platelet aggregation](#)
- 7338502- [Systems and methods for soft tissue reconstruction](#)
- 7341552- [Gene sets for glioma classification](#)
- 7373206- [Failsafe programming of implantable medical devices](#)
- 7268205- [Medical devices and applications of polyhydroxyalkanoate polymers](#)
- 7258599- [Polishing machine, workpiece supporting table pad, polishing method and manufacturing method of semiconductor device](#)
- 7242984- [Apparatus and method for closed-loop intracranial stimulation for optimal control of neurological disease](#)
- 7204958- [Extracorporeal blood circuit air removal system and method](#)
- 7208040- [Ettringite binder for dense mortar, comprising calcium sulphates and a mineral compound of calcium aluminates](#)
- 7209787- [Apparatus and method for closed-loop intracranial stimulation for optimal control of neurological disease](#)
- 7213601- [Minimally-invasive devices and methods for treatment of congestive heart failure](#)
- 7214180- [Method for cardiac restraint](#)
- 7216000- [Neurostimulation therapy manipulation](#)
- 7219671- [Method for coronary artery bypass](#)
- 7227009- [MT-SP1 polynucleotides and polypeptides](#)
- 7229770- [YKL-40 as a marker and prognostic indicator for cancers](#)
- 7231254- [Closed-loop feedback-driven neuromodulation](#)
- 7381457- [Structure, method, and device for splicing laminated films](#)
- 7386348- [Patient interactive neurostimulation system and method](#)
- 7521040- [Immunotherapy for humans](#)
- 7526342- [Apparatus for endoscopic cardiac mapping and lead placement](#)
- 7553923- [Medical devices and applications of polyhydroxyalkanoate polymers](#)
- 7563777- [Method to induce neovascular formation and tissue regeneration](#)
- 7572172- [Polishing machine, workpiece supporting table pad, polishing method and manufacturing method of semiconductor device](#)
- 7592445- [Non-nucleotide composition and method for inhibiting platelet aggregation](#)
- 7597698- [Apparatus and method for endoscopic encirclement of pulmonary veins for epicardial ablation](#)
- 7603177- [Applying filter information to identify combinations of electrodes](#)
- 7603288- [Photo laboratory management system](#)
- 7610802- [Device for measuring and monitoring the fractional load of orthopedic and surgical patients](#)
- 7514537- [Chimeric immunoreceptor useful in treating human gliomas](#)
- 7504497- [Orally bioavailable compounds and methods for inhibiting platelet aggregation](#)

- 7504168- [Systems for controlling operation of a fuel cell electricity generating system responsive to detection of abnormalities](#)
- 7393825- [Microdose therapy](#)
- 7398781- [Method for subxiphoid endoscopic access](#)
- 7399637- [Blood coagulation test cartridge, system, and method](#)
- 7403820- [Closed-loop feedback-driven neuromodulation](#)
- 7422905- [Blood coagulation test cartridge, system, and method](#)
- 7439019- [Methods of identifying individuals at risk of perioperative bleeding, renal dysfunction](#)
- 7439069- [Blood coagulation test cartridge, system, and method](#)
- 7452870- [Drug-eluting stents coated with P2Y.sub.12 receptor antagonist compound](#)
- 7499048- [Body region indication](#)
- 7503919- [Locking compression hip screw](#)
- 7617411- [Cluster system and failover method for cluster system](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

