

Sick Building Syndrome

[View the current Sick Building Syndrome InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/Sick_Building_Syndrome.html)

(http://www.bioportfolio.com/indepth/Sick_Building_Syndrome.html)



Recent Publications on Sick Building Syndrome:

- [Evaluating building-related symptoms using the US EPA BASE study results.](#)
*In order to develop baseline data about United States office buildings,...*18th November, 2008
Environmental Health & Engineering, Inc., Newton, MA 02494, USA.- Indoor Air. 2008
Aug;18(4):335-45. ([DOI Direct Link](#))
- [Risk factors in heating, ventilating, and air-conditioning systems for occupant symptoms in US office buildings: the US EPA BASE study.](#)
*Building-related symptoms in office workers worldwide are common, but of...*18th November, 2008
Lawrence Berkeley National Laboratory, Indoor Environment Department, CA,- Indoor Air. 2008
Aug;18(4):301-16. Epub 2008 May 20. ([DOI Direct Link](#))
- [\[Sick building syndrome\]](#)
*Over the past 50 years, a new man-made ecosystem has developed--the...*14th November, 2008
- Harefuah. 2008 Jul;147(7):607-8, 662.
- [Do you have sick building syndrome?](#)
*In order to develop baseline data about United States office buildings,...*14th November, 2008
Women's Services, Bayhealth Medical Center, Dover, DE, USA.- Nursing. 2008 Aug;38(8):58-9. ([DOI Direct Link](#))
- [When the message matters.](#)
*Objectives: The purpose of this study was to investigate the incidence of...*8th November, 2008
Platte Valley Ambulance- EMS Mag. 2008 May;37(5):93.
- [Questionnaire survey of workers in specific buildings regarding multiple chemical sensitivity.](#)
*Objectives: The purpose of this study was to investigate the incidence of...*9th October, 2008
Division of Public Health, Department of Social Medicine, Faculty of- Nippon Eiseigaku Zasshi. 2008
Jul;63(4):717-23.
- [\[Environmental medicine for prevention of adverse health effects of chemical exposure: screening test for potential patients of sick building syndrome\]](#)
*In order to develop baseline data about United States office buildings,...*3rd October, 2008
Department of Bioenvironmental Medicine, Graduate School of Medicine,- Arerugi. 2008
Jul;57(7):828-34.
- [Detection of satratoxin g and h in indoor air from a water-damaged building.](#)
*The occurrence of Stachybotrys chartarum in indoor environments has been...*1st October, 2008
TU Munchen, Institute of Animal Hygiene, Weihenstephaner Berg 3, Freising,- Mycopathologia. 2008
Aug;166(2):103-7. Epub 2008 Apr 29. ([DOI Direct Link](#))
- [A case of sick house syndrome in which the main symptom was allergy to formaldehyde.](#)

The occurrence of Stachybotrys chartarum in indoor environments has been... 1st August, 2008
Occupational Poisoning Center, Tokyo Rosai Hospital, Japan.- Sangyo Eiseigaku Zasshi. 2008
May;50(3):83-5. Epub 2008 Apr 22.

- [\[Influence of work climate on the sick building syndrome\]](#)
The potential risk factors for sick building syndrome (SBS) are not yet... 26th July, 2008
Istituto di Medicina del Lavoro dell'Universita Cattolica del Sacro Cuore,- G Ital Med Lav Ergon. 2007
Jul-Sep;29(3 Suppl):658-60.
- [Psychosocial factors that aggravate the symptoms of sick house syndrome in Japan.](#)
Over the last 30 years in Japan, there has been a 10% increase in the... 5th June, 2008
School of Nursing, Faculty of Medicine, Mie University, Mie, Japan.- Nurs Health Sci. 2008
Jun;10(2):101-9. ([DOI Direct Link](#))
- [Sick building syndrome: psychological, somatic, and environmental determinants.](#)
The authors aimed to examine potential relationships between work-related... 22nd May, 2008
Institute for Medical Research and Occupational Health, Zagreb, Croatia.- Arch Environ Occup Health.
2007 Fall;62(3):147-55. ([DOI Direct Link](#))
- [Outdoor ozone and building-related symptoms in the BASE study.](#)
Reactions between ozone and indoor contaminants may influence human health... 21st May, 2008
Lawrence Berkeley National Laboratory, Berkeley, CA 94720, USA.- Indoor Air. 2008 Apr;18(2):156-70.
([DOI Direct Link](#))
- [Air filter materials, outdoor ozone and building-related symptoms in the BASE study.](#)
Used ventilation air filters have been shown to reduce indoor... 21st May, 2008
Indoor Environment Department, Lawrence Berkeley National Laboratory,- Indoor Air. 2008
Apr;18(2):144-55. ([DOI Direct Link](#))
- [Respiratory inflammatory responses among occupants of a water-damaged office building.](#)
The National Institute for Occupational Safety and Health (NIOSH) received... 21st May, 2008
CDC/NIOSH Division of Respiratory Diseases Studies, Morgantown, WV, USA.- Indoor Air. 2008
Apr;18(2):125-30. ([DOI Direct Link](#))

Sick Building Syndrome Patents:



- 6828719- [Illuminator capable of cleaning air](#)
- 7041508- [Positron annihilation monitor and method for detecting hazardous materials](#)
- 7047751- [Desiccant refrigerant dehumidifier systems](#)
- 7047752- [Cooling systems](#)
- 7059400- [Dual-compartment ventilation and air-conditioning system having a shared heating coil](#)
- 7073731- [Method and system for ambient air scenting and disinfecting based on flexible, autonomous liquid atomizer cartridges and an intelligent networking thereof](#)
- 7125437- [Method and apparatus for enhanced particle collection efficiency](#)
- 7125842- [Anti-fungal compounds and methods of use](#)
- 7161789- [Ion chip](#)
- 7185608- [Aquarium ornamentation system](#)
- 7213464- [System for visually monitoring pressure in an enclosed space](#)
- 7037468- [Decontamination of fluids or objects contaminated with chemical or biological agents using a distributed plasma reactor](#)

- 7022297- [Method and system for purifying or cleansing a gas stream or gaseous body](#)
- 6986386- [Single-coil twin-fan variable-air-volume \(VAV\) system for energy-efficient conditioning of independent fresh and return air streams](#)
- 6849565- [Carpet construction and carpet backings for same](#)
- 6865926- [Method and apparatus for sample analysis](#)
- 6878277- [Photocatalytic filter, photocatalytic filter device and method for manufacturing photocatalytic filter](#)
- 6892491- [System and method for removing harmful biological and organic substances from an enclosure](#)
- 6921438- [Vacuum cleaner attachment for fungi removal and method of use thereof](#)
- 6924326- [Method and formulation using passive electrostaticity for improving filter performance](#)
- 6925422- [System and method for monitoring the performance of an indoor air environment product installation](#)
- 6940043- [Heating element using charcoal](#)
- 6946196- [Anti-microbial fiber and fibrous products](#)
- 6952945- [Method and apparatus for concentrating samples for analysis](#)
- 7214346- [Optoelectronic detection system](#)
- 7226497- [Fanless building ventilator](#)
- 7368256- [Antibodies against Stachybotrys chartarum and methods for their use](#)
- 7387265- [Method and system for ambient air scenting and disinfecting based on flexible, autonomous liquid atomizer cartridges and an intelligent networking thereof](#)
- 7389158- [Method of making comparisons of indoor air quality scores](#)
- 7393963- [Conversion of 2,5-\(hydroxymethyl\)furaldehyde to industrial derivatives, purification of the derivatives, and industrial uses therefor](#)
- 7407624- [Method for abatement of allergens, pathogens and volatile organic compounds](#)
- 7410063- [Method and system for sorting particles sampled from air](#)
- 7416581- [Air-permeable filtration media, methods of manufacture and methods of use](#)
- 7422791- [Joint assemblies, methods for installing joint assemblies, and jointing compositions](#)
- 7422860- [Optoelectronic detection system](#)
- 7432382- [Conversion of 2,5-\(hydroxymethyl\)furaldehyde to industrial derivatives, purification of the derivatives, and industrial uses therefor](#)
- 7361625- [Photocatalyst producing method, photocatalyst, and gas purifier](#)
- 7351525- [Positronium-mediated method for identifying a contaminant gas in a gaseous mixture](#)
- 7326458- [System and method for flexible insulation](#)
- 7257987- [Method and apparatus for sample analysis](#)
- 7279303- [Positronium-mediated method for identifying an organism](#)
- 7282264- [Composition and method for controlling moisture](#)
- 7285157- [Air filter](#)
- 7300624- [Method of disinfecting a building air supply](#)
- 7311756- [Fanless indoor air quality treatment](#)
- 7318910- [Chemical dosimeter](#)
- 7320719- [Filter device method of manufacturing the same and method of replacing a filter device](#)
- 7323065- [UV irradiation for surface cleaning](#)
- 7326382- [Apparatus and method for fine mist sterilization or sanitation using a biocide](#)
- 7458189- [Device and method to provide air circulation space proximate to insulation material](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical

practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Wessex Barn, Dorchester Road, Frampton, Dorset, DT2 9NB, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2008 - BioPortfolio Limited.

