

Tardive Dyskinesia Movement

[View the current Tardive Dyskinesia Movement InDepth page on BioPortfolio.com \(PDF\)](http://www.bioportfolio.com/indepth/Tardive_Dyskinesia_Movement.html)
(http://www.bioportfolio.com/indepth/Tardive_Dyskinesia_Movement.html) - Regularly Updated.

Recent Publications on Tardive Dyskinesia Movement:



- [Movement disorders associated with aripiprazole use: a case series.](#)
*Aripiprazole is an atypical antipsychotic that is a partial agonist at the...*18th November, 2009
Rush University,- Int J Neurosci. 2009;119(12):2274-9.
- [Genomewide Association Study of Movement-Related Adverse Antipsychotic Effects.](#)
*BACKGROUND: Understanding individual differences in the development of...*31st October, 2009
Center for Biomarker Research and Personalized Medicine, School of- Biol Psychiatry. 2009 Oct 27. ([DOI Direct Link](#))
- [Levosulpiride-induced movement disorders.](#)
*Levosulpiride is a substituted benzamide that is widely used for the...*2nd October, 2009
Parkinson/Alzheimer Center, Department of Neurology, Asan Medical Center,- Mov Disord. 2009 Sep 30;24(15):2249-2253. ([DOI Direct Link](#))
- [Effect of alpha lipoic acid on the tardive dyskinesia and oxidative stress induced by haloperidol in rats.](#)
*Haloperidol (HAL) is a widely used neuroleptic drug for the treatment of...*9th September, 2009
Division of Pharmacology, Institute of Pharmaceutical Technology, Sri- J Neural Transm. 2009 Jul;116(7):807-14. Epub 2009 May 15. ([DOI Direct Link](#))
- [Handwriting movement analyses for monitoring drug-induced motor side effects in schizophrenia patients treated with risperidone.](#)
*Epidemiologic studies indicate that nearly 60% of schizophrenia (SZ)...*21st August, 2009
Department of Psychiatry (0603), University of California, La Jolla, CA- Hum Mov Sci. 2009 Oct;28(5):633-42. Epub 2009 Aug 18. ([DOI Direct Link](#))
- [Botulinum toxin in painful tardive dyskinesia.](#)
*An 81-year-old female patient with a 12-year history of lingual pain...*11th August, 2009
Parkinson's Disease and Movement Disorders Program, Hospital de Clinicas- Clin Neuropharmacol. 2009 May-Jun;32(3):165-6. ([DOI Direct Link](#))
- [Non-therapeutic risk factors for onset of tardive dyskinesia in schizophrenia: A meta-analysis.](#)
*A meta-analysis of prospective studies with schizophrenia patients was...*1st August, 2009
Psychiatric Center Symfona Group, DB, Amersfoort, The Netherlands.- Mov Disord. 2009 Jul 30. ([DOI Direct Link](#))
- [\[Therapeutic use of tetrabenazine\]](#)
*INTRODUCTION: Tetrabenazine is a benzoquinolizine with a high...*29th July, 2009
Hospital Clinico Universitario Lozano Blesa, Zaragoza, Espana.- Rev Neurol. 2009 May 16-31;48(10):523-33.
- [Bipolar disorder and dopamine dysfunction: an indirect approach focusing on tardive movement](#)

[syndromes in a naturalistic setting.](#)

*BACKGROUND: It has been suggested that dopamine dysfunction may play a...*16th July, 2009

Eli Lilly Nederland, Medical Department, Houten, The Netherlands.- BMC Psychiatry. 2009 Apr

28;9:16. ([DOI Direct Link](#))

- [Use of aripiprazole in tardive dyskinesia: An open label study of six cases.](#)
*Aripiprazole, a partial dopamine agonist has been reported to help reduce...*6th June, 2009
Wayne State University School of Medicine, Detroit, MI, USA.- World J Biol Psychiatry. 2009 Jun 2:1-4.
([DOI Direct Link](#))
- [White matter abnormalities in schizophrenia patients with tardive dyskinesia: a diffusion tensor image study.](#)
*OBJECTIVE: Tardive dyskinesia (TD) is a severe side effect of...*6th June, 2009
Department of Psychiatry, Taipei Veterans General Hospital, Taipei,- Schizophr Res. 2009
Apr;109(1-3):167-81. Epub 2009 Mar 3. ([DOI Direct Link](#))
- [A candidate gene study of tardive dyskinesia in the CATIE schizophrenia trial.](#)
*Tardive dyskinesia (TD) is a movement disorder characterized by...*29th May, 2009
Department of Epidemiology, University of North Carolina at Chapel Hill,- Am J Med Genet B
Neuropsychiatr Genet. 2009 May 27. ([DOI Direct Link](#))
- [Neuroleptic-induced tardive cervical dystonia: clinical series of 20 patients.](#)
*BACKGROUND: Cervical dystonia (CD) may be classified according to the...*20th May, 2009
Department of Neurology and Neurosurgery, Movement Disorders Unit, Federal- Can J Neurol Sci.
2009 Mar;36(2):222-6.
- [The current prevalence and factors associated with tardive dyskinesia among Filipino schizophrenic patients.](#)
*OBJECTIVE: To determine the prevalence of and the factors associated with...*7th April, 2009
Department of Neurology and Psychiatry, University of Santo Tomas- Parkinsonism Relat Disord. 2009
Nov;15(9):655-9. Epub 2009 Apr 5. ([DOI Direct Link](#))
- [Tardive parkinsonism in a bipolar patient: post-mortem examination supports a physiological rather than pathological dysfunction.](#)
*We describe a case of tardive parkinsonism in the setting of bipolar...*20th March, 2009
Department of Neurology, Movement Disorders Center, McKnight Brain- Neurocase. 2008;15(1):66-9. ([DOI Direct Link](#))

Tardive Dyskinesia Movement Patents:



- 7511046- [Thienoisoxazolyl- and thienylpyrrazolyl-phenoxy substituted propyl derivatives useful as D.sub.4 antagonists](#)
- 5677313- [Antipsychotic method](#)
- 5679686- [Antipsychotic method](#)
- 5750541- [Method of treating schizophrenia](#)
- 5753683- [Antipsychotic method](#)
- 5952389- [Methods of treating tardive dyskinesia and other movement disorders](#)
- 5968926- [Antipsychotic method](#)
- 6057373- [Methods of treating tardive dyskinesia and other movement disorders using NMDA receptor antagonists](#)

- 6294583- [Methods of treating tardive dyskinesia and other movement disorders](#)
- 6316269- [Methods for screening drugs to predict tardive dyskinesia](#)
- 6358698- [Methods of identifying inverse agonists of the serotonin 2A receptor](#)
- 7091199- [Thienoisoxazole phenoxy unsubstituted ethyl and propyl derivatives useful as d.sub.4 antagonists](#)
- 7125903- [Thienoisoxazolyl- and thienylpyrrazolyl-phenoxy substituted propyl derivatives useful as D.sub.4 antagonists](#)
- 7253165- [Benzisoxazolyl-, pyridoisoaxazolyl- and benzthienyl-phenoxy derivatives useful as D.sub.4 antagonists](#)
- 7425420- [Identification of ligands by selective amplification of cells transfected with a 5HT2A receptor](#)
- 7452682- [Identification of 5HT2A receptor ligands by selective amplification of cells transfected with receptors](#)
- 7491503- [Identification of ligands by selective amplification of cells transfected with receptors](#)
- 7498361- [Methods of treating tardive dyskinesia and other movement disorders](#)
- 5663182- [Antipsychotic method](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Stafford House, 10 Prince of Wales Road, Dorchester, Dorset, DT1 1PW, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2009 - BioPortfolio Limited.

