

X-Ray Film

[View the current X-Ray Film InDepth page on BioPortfolio.com](http://www.bioportfolio.com/indepth/X-Ray_Film.html)

(http://www.bioportfolio.com/indepth/X-Ray_Film.html)

Recent Publications on X-Ray Film:



- [Right Ventricular Gunshot Wound With Retrograde Embolization.](#)
*There have been numerous reports concerning gunshot wounds to the heart...*30th September, 2008
Richard L. McLaughlin, MS, APN, ACNP-BC, is Nurse Practitioner/Trauma- J Trauma Nurs. 2008 July/September;15(3):123-125. ([DOI Direct Link](#))
- [\[A case of Ewing's sarcoma of the right femur associated with pulmonary metastases detected by fluorodeoxyglucose positron emission tomography\]](#)
*A 32-year-old man was referred to our hospital because of a nodular shadow...*27th September, 2008
Department of Respiratory Medicine, Respiratory Center, Toranomon- Nihon Kokyuki Gakkai Zasshi. 2008 Jul;46(7):564-9.
- [\[Open stent-grafting for saccular aneurysms of the distal arch and descending aorta: report of a case\]](#)
*We report the utility of an open stent-grafting for saccular aneurysms of...*27th September, 2008
Department of Cardiovascular Surgery, Tokuyama Central Hospital, Shunan,- Kyobu Geka. 2008 Aug;61(9):793-6.
- [Trypsin Inhibitors in Passion Fruit \(*Passiflora f. edulis flavicarpa*\) Leaves: Accumulation in Response to Methyl Jasmonate, Mechanical Wounding, and Herbivory.](#)
*This work investigates the effect of methyl jasmonate (MeJa), mechanical...*18th September, 2008
Laboratorio de Biotecnologia, Centro de Biociencias e Biotecnologia,- J Agric Food Chem. 2008 Sep 17. ([DOI Direct Link](#))
- [\[A case of synchronous triple cancer involving lung, stomach and bladder, responding to combination chemotherapy of S-1 and cisplatin\]](#)
*A 77-year-old man was admitted to our hospital complaining of general...*16th September, 2008
Dept. of Clinical Oncology, Toyama City Hospital.- Gan To Kagaku Ryoho. 2008 Aug;35(8):1395-7.
- [Response to high-energy photons of PTW31014 PinPoint ion chamber with a central aluminum electrode.](#)
*Since its introduction the PinPoint (PTW-Freiburg) micro-ionization...*16th September, 2008
S. S. Fisica Medica, National Cancer Research Institute, 16132 Genova,- Med Phys. 2008 Jul;35(7):3293-301.
- [GafChromic EBT film dosimetry with flatbed CCD scanner: a novel background correction method and full dose uncertainty analysis.](#)
*Film dosimetry using radiochromic EBT film in combination with a flatbed...*16th September, 2008
Department of Physics, The Norwegian University of Science and Technology,- Med Phys. 2008 Jul;35(7):3094-101.
- [Radiochromic film dosimetry with flatbed scanners: a fast and accurate method for dose calibration and](#)

[uniformity correction with single film exposure.](#)

Film dosimetry is an attractive tool for dose distribution verification in... 16th September, 2008
Department of Medical Physics, S. Chiara Hospital, APSS Trento, Italy.- Med Phys. 2008
Jul;35(7):3078-85.

- [Rotational Flat-Panel Computed Tomography in Diagnostic and Interventional Neuroradiology.](#)
Originally aimed at improving standard radiography by providing higher... 12th September, 2008
Abteilung fur Neuroradiologie, Universitatsklinikum Erlangen,- Rofo. 2008 Sep 10. ([DOI Direct Link](#))
- [Improvement of cardiopulmonary exercise capacity after radiofrequency ablation in patient with preexcitation during sinus rhythm: A new definition of symptomatic preexcitation?](#)
We report our observations in a 54-year-old woman with right midseptal AV... 9th September, 2008
1st Department of Cardiology, Medical University of Warsaw, Poland.- Heart Rhythm. 2008
Sep;5(9):1323-6. Epub 2008 Jul 4. ([DOI Direct Link](#))
- [\[Modified posterior-anterior operation for treatment of serious lumbar fracture and dislocation\]](#)
OBJECTIVE: To evaluate the clinical outcomes of modified... 9th September, 2008
Department of Orthopaedics, Sir Run Run Shaw Hospital, Medical College of- Zhongguo Xiu Fu Chong
Jian Wai Ke Za Zhi. 2008 Aug;22(8):910-3.
- [\[Clinical characteristics and diagnosis of rheumatoid arthritis of upper cervical spine: analysis of 71 cases\]](#)
OBJECTIVE: To study the clinical characteristics and diagnosis of... 2nd September, 2008
Department of Orthopedic Surgery, Changzheng Hospital, Second Military- Zhonghua Yi Xue Za Zhi.
2008 Apr 1;88(13):901-4.
- [Implementation of computerised physician order entry \(CPOE\) and picture archiving and communication systems \(PACS\) in the NHS: quantitative before and after study.](#)
OBJECTIVE: To assess the impact of components of the national programme... 30th August, 2008
Department of Social Medicine, University of Bristol.- BMJ. 2008 Aug 14;337:a939. doi:
10.1136/bmj.a939.
- [\[Application of allograft bone transplantation in treatment of displaced intra-articular calcaneal fractures\]](#)
OBJECTIVE: To investigate the operative treatment of displaced... 7th August, 2008
Department of Orthopedics, the Second Affiliated Hospital of Soochow- Zhongguo Xiu Fu Chong Jian
Wai Ke Za Zhi. 2008 Jul;22(7):869-72.
- [\[An animal model of Perthes disease and an experimental research of VEGF expression\]](#)
OBJECTIVE: To make a rabbit model of Perthes disease and to explore the... 7th August, 2008
Orthopedic Oncology Institute, Tangdu Hospital, the Fourth Military- Zhongguo Xiu Fu Chong Jian Wai
Ke Za Zhi. 2008 Jul;22(7):814-9.

BioNews Results for X-Ray Film

- [Carestream introduces wireless DR detector; designed to fit existing X-Ray rooms without modification](#)
PharmaBiz: Sep 24 2008 12:36PM Matching: x ray film
- [Carestream at Beijing 2008 Olympics](#)
Medicexchange.com: Sep 10 2008 6:38AM Matching: x ray film
- [Why I Stole My Own X-Rays](#)
CHEST: Sep 8 2008 7:30PM Matching: x ray film

X-Ray Film Clinical Trials:



- [Use of Formula Fortified With DHA in Infants With Cystic Fibrosis](#)
Cystic Fibrosis

X-Ray Film Patents:



- 7425094- [Apparatus for detecting position and format of a film cassette](#)
- 7427159- [Intraoral dental radiology positioning device for use with x-ray receptor](#)
- 7427484- [Global regulator of secondary metabolite biosynthesis and methods of use](#)
- 7427494- [Nucleic acid encoding cytokine receptor zcytor17](#)
- 7427596- [Variants of vascular endothelial cell growth factor, their uses, and processes for their production](#)
- 7427664- [Antibodies to polypeptides that stimulate TNF-.alpha. release](#)
- 7427667- [PRO9835 antibodies](#)
- 7427668- [Antibodies binding the TNF related protein, TNF-Y](#)
- 7429452- [Methods for diagnosis and therapy of pancreatic cancer and composition useful therein](#)
- 7429454- [DNA probes useful in detecting .delta.-endotoxin-encoding sequences and uses thereof](#)
- 7429474- [2-O sulfatase compositions and methods of analyzing therewith](#)
- 7426760- [Bariatric bed apparatus and methods](#)
- 7425621- [Antibodies against the PRO4401 polypeptide](#)
- 7425613- [PRO1375 polypeptides](#)
- 7425095- [Instrument for holding and aligning an x-ray sensing device](#)
- 7425325- [Cytokine zcytor17 ligand polypeptides](#)
- 7425330- [Methods of inhibiting TNF.alpha. activity in the blood of a patient](#)
- 7425421- [Method for the enumeration of micronucleated erythrocyte populations while distinguishing platelets and/or platelet-associated aggregates](#)
- 7425442- [Phytate polynucleotides and methods of use](#)
- 7425443- [Treatment of diabetes with synthetic beta cells](#)
- 7425446- [Antibody composition-producing cell](#)
- 7425580- [\(Diaryl-methyl\)-malononitriles and their use as estrogen receptor ligands](#)
- 7425605- [PRO1486 polypeptides](#)
- 7425609- [PRO4330 polypeptides](#)
- 7429475- [Phytase enzymes, nucleic acid sequences encoding phytase enzymes and vectors and host cells incorporating same](#)
- 7429639- [SSX-2 peptides presented by HLA class II molecules](#)
- 7432060- [Methods for diagnosis of cardiovascular disease](#)
- 7432102- [Transformants producing substance pf1022 derivatives, methods for producing the same, and novel biosynthesis genes](#)
- 7432345- [PRO1475 polypeptide](#)

- 7432349- [Tumor suppressor gene, p28ING5](#)
- 7432363- [Ly6H gene](#)
- 7432374- [Inhibitors of macrophage migration inhibitory factor and methods for identifying the same](#)
- 7432418- [Seed-preferred regulatory elements and uses thereof](#)
- 7432425- [Isoflavonoid methylation enzyme](#)
- 7432510- [Dosimeter based on a gas electron multiplier for dose measurements of therapeutic radiation](#)
- 7433445- [Apparatus for and method of capturing radiation image](#)
- 7432048- [Reactions on a solid surface](#)
- 7432044- [Methods and compositions for modulating hepatocyte growth factor activation](#)
- 7431929- [Use of vaccinia virus deleted for the E3L gene as a vaccine vector](#)
- 7429640- [PRO6181 polypeptides](#)
- 7429641- [PRO9830 polypeptides](#)
- 7429648- [IREN protein, its preparation and use](#)
- 7429650- [Methods and compositions in breast cancer diagnosis and therapeutics](#)
- 7429693- [Method for the production of plant seed with modified fiber content and modified seed coat](#)
- 7429761- [High power diode utilizing secondary emission](#)
- 7431497- [Dental x-ray film viewing device](#)
- 7431498- [Portable supine patient support and cassette holder](#)
- 7431499- [C-arm holding apparatus and X-ray diagnostic apparatus](#)
- 7431500- [Dynamic exposure control in radiography](#)
- 7433449- [Apparatus for driving a scattered radiation grid of a diagnostic X-ray system](#)

Resources from the [NCBI](#) used in this document, [NCBI's standard disclaimer applies](#).

Nothing in this document should be used in place of personal medical advice from your own qualified medical practitioner. See BioPortfolio.com [User Agreement](#)

Send comments and feedback to:

Peter Barfoot Managing Director, BioPortfolio Ltd.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472

[Peter Barfoot peter.barfoot@bioportfolio.com](mailto:peter.barfoot@bioportfolio.com)

All rights reserved. All other trademarks recognized.

BioPortfolio Limited is registered in England & Wales at Wessex Barn, Dorchester Road, Frampton, Dorset, DT2 9NB, UK. No.3312883 VAT No. GB 744 6483 10

Copyright 1997-2008 - BioPortfolio Limited.

