



BioEmail – *Email lists for specifically targeting professionals within the life science, biotechnology and pharmaceutical sectors.*

Email addresses for researchers working in proteomic and mass spectrometry.

Total number of individual email addresses : 10 897

Keywords

- Proteomics
- MALDI
- MALDI TOF
- Peptide mass fingerprinting (PMF)
- Biomarker
- Biomarker ID
- Peptide AND Mass Spec.

Example Job Titles:

- Scientific Director
- Scientist
- Researcher
- Senior Technologist
- Scientific Director / CSO
- Professor
- Lecturer
- Reader
- Research Group Leader
- Principle Investigator

Geographic Targeting:

- Germany
- Belgium
- Netherlands
- Luxemburg
- UK
- France
- Denmark
- Norway
- Sweden
- Finland

Example Institutions:

- Laboratory of Experimental Radiotherapy, Leuven Kanker Instituut (LKI), UH Leuven - Campus Gasthuisberg, 3000 Leuven, Belgium
- Quintiles Global Oncology & ID, Station House, Bracknell, Berkshire, RG12 1HX, UK
- INSERM U. 858 EQ 10, Institut Louis Bugnard, 1 Ave J Poulhes, CHU Rangueil, Germany
- Institute for Medical Physics and Biophysics, University of Munster, Robert Koch Str. 31, Munster, 48149, Germany

- Department of Clinical Chemistry, Canisius Wilhelmina Hospital, Weg door Jonkerbos 100, 6532 SZ Nijmegen, Netherlands
- Division of Applied Cachexia Research, Department of Cardiology, Campus Virchow Clinic, Charite-Universitätsmedizin Berlin, Germany
- CNRS, Institut de Genetique Humaine, UPR1142, Montpellier, France
- Johann Wolfgang Goethe-Universität, Institut für Organische Chemie und Chemische Biologie, Frankfurt am Main, Germany
- Mass Spectrometry Group, Max Planck Institute for Chemical Ecology, Jena, Germany
- Cancer Research UK Clinical Centre, St. James's University Hospital, Leeds, UK
- Dr. Margarete Fischer-Bosch-Institute of Clinical Pharmacology, Stuttgart, and University Tübingen, Germany
- Klinik für Psychiatrie und Psychotherapie, Universität Duisburg-Essen, Rheinische Kliniken Essen, Virchowstr. 174, 45147, Germany
- Stem Cell Center, Lund University, Lund, Sweden., 22184,
- Department of Chemistry, University of Cambridge, Lensfield Road, Cambridge, CB2 1EW, UK
- Centre for Ecology, Evolution and Conservation, School of Biological Sciences, University of East Anglia, UK
- School of Biological Sciences, University of Aberdeen, Zoology Building, Aberdeen Scotland, AB24 2TZ, UK
- Max-Planck-Institute for Biophysical Chemistry, Bioanalytical Mass Spectrometry Group, Am Fassberg 11 Göttingen, D-37077, Germany
- Max Planck Institute of Psychiatry, Munich, Germany
- Université Paris Descartes, Paris, ; INSERM Unite 765, Faculté de Pharmacie, France
- Research Unit Nutritional Physiology 'Oskar Kellner' Research Institute for the Biology of Farm Animals (FBN), Wilhelm-Stahl-Allee, Dummerstorf, Germany
- Department of Neurology, University Medical Center Groningen, The University of Groningen, Groningen, Netherlands
- Biomolecular Mass Spectrometry and Proteomics Group, Bijvoet Center for Biomolecular Research
- Utrecht Institute for Pharmaceutical Sciences, Proteomics Center, Utrecht University, Netherlands
- Ludwig-Maximilians-Universität, Biozentrum der LMU Biologie, Planegg-Martinsried, Germany
- Centre of Microbial and Plant Genetics, K. U. Leuven, Leuven, Belgium
- Laboratory for Functional Genome Analysis (LAFUGA), Gene Center, LMU Munich, Munich, Germany

Example Published Scientists

xxx@rowett.ac.uk

Proteomic analysis of human plasma and blood cells in nutritional studies: development of

xxx@medisin.uio.no
xxx@cam.ac.uk
xxx@tno.nl
xxx@kv.slu.se
xxx@cf.ac.uk
xxx@neuro.umcg.nl
xxx@ucl.ac.uk
xxx@dkfz-heidelberg.de
xxx@cch.aphp.fr
xxx@embl.de
xxx@quintiles.com
xxx@ucl.ac.uk
xxx@abdn.ac.uk
xxx@slz.nl
xxx@refer.sn
xxx@cch.aphp.fr
xxx@ucl.ac.uk

biomarkers to aid disease prevention.
New diagnostic and molecular characteristics of malignant mesothelioma.
The search for biomarkers in Parkinson's disease: a critical review.
Molecular characterization of trimellitic anhydride-induced respiratory allergy in Brown Norway rats.
Monitoring therapy in canine malignant lymphoma and leukemia with serum thymidine kinase 1 activity - evaluation of a new, fully automated non-radiometric assay.
The novel nuclear factor-kappaB inhibitor LC-1 is equipotent in poor prognostic subsets of chronic lymphocytic leukemia and shows strong synergy with fludarabine.
Changes in striatal dopamine D2 receptor binding in pre-clinical Huntington's disease.
8th Siena meeting. From genome to proteome: integration and proteome completion.
Serum undercarboxylated osteocalcin as biomarker of vitamin k intake and risk of prostate cancer: a nested case-control study in the heidelberg cohort of the European prospective investigation into cancer and nutrition.
The role of biomarkers in community-acquired pneumonia: predicting mortality and response to adjunctive therapy.
Human Proteome Organisation's 7th World Congress, 2008.
Epigenetic silencing of the endothelin-B receptor gene in non-small cell lung cancer.
Psychological distress as a risk factor for cardiovascular events: pathophysiological and behavioral mechanisms.
Spatio-temporal variation in the strength and mode of selection acting on major histocompatibility complex diversity in water vole (*Arvicola terrestris*) metapopulations.
Haptoglobin phenotype is not a predictor of recurrence free survival in high-risk primary breast cancer patients.
[Evaluation of an immunoassay for calcitonin] Azathioprine or methotrexate maintenance for ANCA-associated vasculitis.
The expression and function of NKG2D molecule

xxx@cirad.fr	on intrahepatic CD8+ T cells in chronic viral hepatitis. Pathogeno-proteomics. Atmospheric pressure free liquid infrared MALDI mass spectrometry: toward a combined ESI/
xxx@mpi-magdeburg.mpg.de	MALDI-liquid chromatography interface. Protein expression profiling in esophageal adenocarcinoma patients indicates association of heat-shock protein 27 expression and
xxx@lrz.tu-muenchen.de	chemotherapy response. Interstitial fluid pressure in tumors: therapeutic barrier and biomarker of angiogenesis.
xxx@sheffield.ac.uk	Functional variation in a disease resistance gene in populations of Arabidopsis thaliana.
xxx@uea.ac.uk	Inhibition of melanoma growth by targeting of antigen to dendritic cells via an anti-DEC-205
xxx@med.uni-heidelberg.de	single-chain fragment variable molecule. The extrapolation problem and how population
xxx@ruc.dk	modeling can help.

Call us to discuss your specific requirements:

Peter Barfoot . Tel: (+44) 1300 321501

From USA: 011 44 1300 321 501

Peter.Barfoot@bioportfolio.com

* Our database is constantly being updated and edited. Newly published authors and grant applicants are added daily and emails which become disused are constantly purged from our system.

UK Tel: (+44) 1300 321501

USA Voicemail and Fax: (+1) 415 680 2472 San Francisco

All rights reserved. All other trademarks recognized.

Resources from the USA NCBI and National Institutes of Health applied.

BioPortfolio Limited is registered in England & Wales at:

Wessex Barn, Dorchester Road, Frampton, Dorset, DT2 9NB, UK No.3312883

VAT No. GB 744 6483 10

Copyright © 1997-2007 - BioPortfolio Limited.